


# MJ-MP Straight 2404 Series

SAE # 070102 / MS # 51500



PART NO. SIZE	TUBE O.D.	B1 SAE 37	B2 NPTF	L LGTH	M.M.	W WIDTH	M.M.	C HEX	C HEX	M.M.	Standard Material From Stock			
											S	FG	SS	B
2404-02-02	1/8	5/16-24	1/8-27	1.110	28.19	0.220	5.59	7/16	0.438	11.13	•		•	•
2404-02-04	1/8	5/16-24	1/4-18	1.120	28.45	0.220	5.59	5/8	0.625	15.88	•		•	•
2404-03-02	3/16	3/8-24	1/8-27	1.140	28.96	0.220	5.59	7/16	0.438	11.13	•		•	•
<b>NEW</b> 2404-03-04													•	•
2404-04-02	1/4	7/16-20	1/8-27	1.218	30.94	0.220	5.59	1/2	0.500	12.70	•		•	•
2404-04-04	1/4	7/16-20	1/4-18	1.421	36.09	0.250	6.35	9/16	0.562	15.88	•		•	•
2404-04-06	1/4	7/16-20	3/8-18	1.421	36.09	0.250	6.35	3/4	0.750	20.62	•		•	•
2404-04-08	1/4	7/16-20	1/2-14	1.640	41.66	0.250	6.35	7/8	0.875	22.23	•		•	•
2404-04-12	1/4	7/16-20	3/4-14	1.750	44.45	0.380	9.65	1 1/8	1.125	28.57	•		•	•
2404-05-02	5/16	1/2-20	1/8-27	1.218	30.94	0.220	5.59	9/16	0.562	14.27	•		•	•
2404-05-04	5/16	1/2-20	1/4-18	1.421	36.09	0.250	6.35	9/16	0.562	15.88	•		•	•
2404-05-06	5/16	1/2-20	3/8-18	1.421	36.09	0.250	6.35	3/4	0.750	20.62	•		•	•
2404-05-08	5/16	1/2-20	1/2-14	1.710	43.43	0.250	6.35	7/8	0.875	15.88	•		•	•
2404-06-02	3/8	9/16-18	1/8-27	1.250	31.75	0.250	6.35	5/8	0.625	15.88	•		•	•
2404-06-04	3/8	9/16-18	1/4-18	1.437	36.50	0.250	6.35	5/8	0.625	15.88	•		•	•
2404-06-06	3/8	9/16-18	3/8-18	1.421	36.09	0.250	6.35	3/4	0.750	20.62	•		•	•
2404-06-08	3/8	9/16-18	1/2-14	1.687	42.85	0.250	6.35	7/8	0.875	23.80	•		•	•
2404-06-12	3/8	9/16-18	3/4-14	1.750	44.45	0.380	9.65	1-1/8	1.125	28.58	•		•	•
2404-06-16	3/8	9/16-18	1-11 1/2	1.940	49.29	0.380	9.65	1 3/8	1.375	34.92	•		•	•
2404-08-02	1/2	3/4-16	1/8-27	1.340	34.04	0.250	6.35	13/16	0.812	20.62	•		•	•
2404-08-04	1/2	3/4-16	1/4-18	1.531	38.89	0.250	6.35	13/16	0.812	20.62	•		•	•
2404-08-06	1/2	3/4-16	3/8-18	1.531	38.89	0.250	6.35	13/16	0.812	20.62	•		•	•
2404-08-08	1/2	3/4-16	1/2-14	1.781	45.24	0.310	7.87	15/16	0.937	23.80	•		•	•
2404-08-12	1/2	3/4-16	3/4-14	1.859	47.22	0.380	9.65	1 1/8	1.125	28.58	•		•	•
2404-08-16	1/2	3/4-16	1-11 1/2	2.050	52.07	0.380	9.65	1 3/8	1.375	34.93	•		•	•
2404-10-04	5/8	7/8-14	1/4-18	1.690	42.93	0.310	7.87	15/16	0.937	23.80	•		•	•
2404-10-06	5/8	7/8-14	3/8-18	1.700	43.18	0.380	9.65	15/16	0.937	23.80	•		•	•
2404-10-08	5/8	7/8-14	1/2-14	1.890	48.01	0.310	7.87	15/16	0.937	23.80	•		•	•
2404-10-12	5/8	7/8-14	3/4-14	1.950	49.53	0.380	9.65	1 1/8	1.125	28.58	•		•	•
2404-10-16	5/8	7/8-14	1-11 1/2	2.150	54.61	0.380	9.65	1 3/8	1.375	34.93	•		•	•
<b>NEW</b> 2404-10-20													•	•
2404-12-04	3/4	1 1/16-12	1/4-18	1.820	46.23	0.380	9.65	1 1/8	1.125	28.57	•		•	•
2404-12-06	3/4	1 1/16-12	3/8-18	1.765	44.83	0.380	9.65	1 1/8	1.125	28.58	•		•	•
2404-12-08	3/4	1 1/16-12	3/8-18	1.765	44.83	0.380	9.65	1 1/8	1.125	28.58	•		•	•
2404-12-12	3/4	1 1/16-12	3/4-14	2.062	52.37	0.380	9.65	1 1/8	1.125	28.58	•		•	•
2404-12-16	3/4	1 1/16-12	1-11 1/2	2.250	57.15	0.380	9.65	1 3/8	1.375	34.93	•		•	•
2404-12-20	3/4	1 1/16-12	1 1/4-11 1/2	2.360	59.94	0.460	11.68	1 11/16	1.688	42.86	•		•	•
2404-12-24	3/4	1 1/16-12	1 1/2-11 1/2	2.461	62.51	0.530	13.46	2	2.000	50.80	•		•	•
2404-14-08	7/8	1 3/16-12	1/2-14	2.090	53.09	0.380	9.65	1 1/4	1.250	31.75	•		•	•
2404-14-12	7/8	1 3/16-12	3/4-14	2.093	53.16	0.380	9.65	1 1/4	1.250	31.75	•		•	•
2404-14-16	7/8	1 3/16-12	1-11 1/2	2.275	57.79	0.380	9.65	1 3/8	1.375	34.93	•		•	•
2404-16-06	1	1 5/16-12	3/8-18	1.920	48.77	0.380	9.65	1 3/8	1.375	34.93	•		•	•
2404-16-08	1	1 5/16-12	1/2-14	2.110	53.59	0.380	9.65	1 3/8	1.375	34.93	•		•	•
2404-16-12	1	1 5/16-12	3/4-14	2.110	53.59	0.380	9.65	1 3/8	1.375	34.93	•		•	•
2404-16-16	1	1 5/16-12	1-11 1/2	2.296	58.32	0.380	9.65	1 3/8	1.375	34.93	•		•	•
2404-16-20	1	1 5/16-12	1 1/4-11 1/2	2.406	61.11	0.460	11.68	1 11/16	1.688	42.86	•		•	•
2404-16-24	1	1 5/16-12	1 1/2-11 1/2	2.510	63.75	0.530	13.46	2	2.000	50.80	•		•	•
<b>NEW</b> 2404-16-32													•	•
2404-20-12	1 1/4	1 5/8-12	3/4-14	2.200	55.88	0.460	11.68	1 11/16	1.688	42.86	•		•	•
2404-20-16	1 1/4	1 5/8-12	1-11 1/2	2.421	61.49	0.460	11.68	1 11/16	1.688	42.86	•		•	•
2404-20-20	1 1/4	1 5/8-12	1 1/4-11 1/2	2.453	62.31	0.460	11.68	1 11/16	1.688	42.86	•		•	•
2404-20-24	1 1/4	1 5/8-12	1 1/4-11 1/2	2.555	64.90	0.530	13.46	2	2.000	50.80	•		•	•
2404-20-32	1 1/4	1 5/8-12	2-11 1/2	2.730	69.34	0.680	17.27	2 5/8	2.625	66.68	•		•	•
<b>NEW</b> 2404-20-40													•	•
2404-24-16	1 1/2	1 7/8-12	1-11 1/2	2.620	66.55	0.530	13.46	2	2.000	50.80	•		•	•
2404-24-20	1 1/2	1 7/8-12	1 1/4-11 1/2	2.640	67.06	0.530	13.46	2	2.000	50.80	•		•	•
2404-24-24	1 1/2	1 7/8-12	1 1/2-11 1/2	2.687	68.25	0.530	13.46	2	2.000	50.80	•		•	•

continued on next page