


STATIONARY SEAT DIMENSIONS

O-Ring Mount						O-Ring Mount					
Seal Size		OD (A)	Bore ID (B)	ID (C)	Hgt. (D)	Seal Size		OD (A)	Bore ID (B)	ID (C)	Hgt. (D)
Inch	Dash #					Inch	Dash #				
15/16	7.5	1.551	1.562	1.000	.375	2-1/2	20	3.364	3.375	2.574	.562
1	8	1.614	1.625	1.062	.437	2-5/8	21	3.487	3.500	2.702	.625
1-1/8	9	1.739	1.750	1.187	.437	2-3/4	22	3.737	3.750	2.952	.625
1-1/4	10	1.864	1.875	1.312	.437	2-7/8	23	3.862	3.875	3.077	.625
1-3/8	11	1.989	2.000	1.437	.437	3	24	3.987	4.000	3.202	.625
1-1/2	12	2.114	2.125	1.562	.437	3-1/8	25	4.112	4.125	3.327	.625
1-5/8	13	2.364	2.375	1.687	.500	3-1/4	26	4.237	4.250	3.452	.625
1-3/4	14	2.489	2.500	1.812	.500	3-3/8	27	4.362	4.375	3.577	.625
1-7/8	15	2.614	2.625	1.937	.500	3-1/2	28	4.487	4.500	3.702	.687
2	16	2.739	2.750	2.062	.500	3-5/8	29	4.612	4.625	3.827	.687
2-1/8	17	2.864	2.875	2.187	.562	3-3/4	30	4.737	4.750	3.952	.687
2-1/4	18	3.114	3.125	2.312	.562	3-7/8	31	4.862	4.875	4.077	.687
2-3/8	19	3.239	3.250	2.437	.562	4	32	4.987	5	4.202	.687




O-Ring Mounted



T-Shape Standard




L-Shape



RF Mount



T-Shape OEM



Seal Size		Standard T-Shape			L-Shape	RF Mount			OEM T-Shape		
Inch	Dash #	OD (A)	Face OD (B)	ID (C)	ID (D)	OD (E)	OD (F)	ID (G)	OD (H)	Face OD (I)	Thk. (J)
		15/16	7.5	1.93	1.55	1.00	1.06	-	-	-	-
1	8	2.09	1.62	1.06	1.12	2.09	1.575	1.135	-	-	-
1-1/8	9	2.21	1.74	1.19	1.25	2.22	1.700	1.260	1.980	1.745	1.000
1-3/16	9.5	2.43	1.80	1.25	1.31	-	-	-	-	-	-
1-1/4	10	2.34	1.87	1.31	1.37	2.34	1.825	1.395	2.375	1.995	0.875
1-3/8	11	2.35	1.99	1.43	1.50	2.41	1.950	1.510	2.350	1.995	1.000
1-1/2	12	2.71	2.24	1.56	1.62	2.72	2.135	1.635	-	-	-
1-5/8	13	2.84	2.37	1.69	1.75	2.84	2.288	1.788	-	-	-
1-3/4	14	3.09	2.49	1.81	1.87	3.09	2.406	1.906	2.975	2.495	1.000
1-7/8	15	3.21	2.61	1.93	2.00	3.22	2.525	2.025	2.855	2.620	1.000
2	16	3.40	2.74	2.06	2.12	3.47	2.635	2.135	-	-	-
2-1/8	17	3.71	2.86	2.20	2.25	3.72	2.800	2.300	-	-	-
2-1/4	18	3.84	2.99	2.32	2.37	3.84	2.918	2.418	-	-	-
2-3/8	19	3.87	3.05	2.45	2.50	3.88	3.010	2.510	-	-	-
2-1/2	20	4.09	3.24	2.57	2.62	4.10	3.135	2.635	-	-	-
2-5/8	21	4.21	3.36	2.70	2.75	4.22	3.260	2.760	-	-	-