

INCLINE/BLACK HEAVY DUTY BELTING

3 Ply Black Ribflex

Top surface features soft flexible parallel ribs enabling it to convey on the steepest inclines. Maintains full incline ability throughout life of the belt.

66 3 Ply CN40 Black Ribflex x FS




Black and Tan Wedgegrip

Belts are constructed of plies of high-strength flexible synthetic carcass and feature a diamond-top surface molded in a diagonal rib design with an unusually high coefficient of friction; for conveying packaged and bagged goods up the very steepest of inclines. Tan Wedgegrip is non-marking. 3 ply No. 67b is used for sanding applications. *See additional specialty surface finishing belts 53a, 135, 136, and 137.

67 2 Ply 150 Black Wedgegrip x Bare

67a 2 Ply 150 Tan Wedgegrip x Bare

67b 3 Ply 225 Tan Wedgegrip x Bare*




PVC Roughtops

Uni-ply construction and PVC vinyl compounds result to combine all the best properties for high-traction incline conveying and best resistance to oils, greases, industrial chemicals, abuse, and stretch. The green Supergrip has a softer durometer for the highest grab and steepest inclines.

68/86 PVC - 120 Black Roughtop x FS

69/87 PVC - 120 Green Supergrip Roughtop x FS




PVC Black Crescent Top

Aggressive scoop pattern for high incline conveying. Crescent pattern creates hundreds of tiny "buckets" capable of conveying liquids along with solids. Conversely, the belt can be run in the opposite direction, and the upside-down crescents convey solids while draining off liquids. Belt operates smoothly and quietly on the return. Good tubeveyor belt.

69a PVC - 120 Black Crescent Top x FS



69b PVC - 200 Black Crescent Top x FS



PVC - 100 Black Chevron Top

The herringbone pattern of alternating rows of solid PVC chevrons forms a cover highly capable of moving bulk, free-flowing materials such as grains, food stuffs, feeds, and fertilizers up steep inclines. Ideal for tubeveyors. See also solid woven PVC belting section on pages 13 and 14.

88 PVC - 100 Black Chevron Top II x FS



This group of belts is designed and compounded to provide the longest service life for the most commonly found bulk haulage operating environments.



2 Ply Standard Black Heavy Duty - High Abrasion Resistant

"Standard" is compounded to provide excellent abrasion resistance and flex life and is the best buy for the majority of conveyor belt applications. Its high-tension synthetic fabrics result in minimum stretch, full resistance to mildew and rot, greatest fastener holding ability and impact resistance and highest adhesion between plies and covers.

52 2 Ply 150 Black 1/32" x Bare

70 2 Ply 150 1/32" x 1/32"

70a 2 Ply 150 1/16" x 1/32"

71 2 Ply 150 1/8" x 1/32"

72 2 Ply 150 1/8" x 1/16"

73 2 Ply 220 1/8" x 1/16"

75 2 Ply 220 3/16" x 1/16"

