

Municipal Fire and Forestry Hose

AP8D

Polyester Double Jacket Rubber Lined Fire Hose

Flexline AP8D												
Size inch mm	Service		Pressure Proof		Burst		Bowl Size		Weight* 50' (15m)		Coil Diameter 50' (15m)	
	psi	kPa	psi	kPa	psi	kPa	inch	mm	lbs.	kg	inch	mm
1-1/2 38	400	2800	800	5600	1200	8400	1-15/16	49	15	6.8	18	457
1-3/4 45	400	2800	800	5600	1200	8400	2-1/8	54	22	9.9	18	457
2-1/2 65	400	2800	800	5600	1200	8400	3	76	31	14.0	21	533
3 75	400	2800	800	5600	1200	8400	3-9/16	90	42	18.9	21	533

Flexline AP8D is the ultimate in quality, municipal grade fire hose. This durable, double jacket hose is constructed of 100% high tensile strength polyester yarns, both warp and filler, and lined with a high-tech E.P.D.M. tube. Its engineered design guarantees minimum weight with maximum durability and flexibility. The standard color for AP8D Hose is white. Other colors available with our innovative PROTECTASHIELD abrasion resistant coatings are red, yellow, orange, blue, green and tan.

AP8DTP

Polyester Double Jacket Urethane Lined Fire Hose

Flexline AP8DTP												
Size inch mm	Service		Pressure Proof		Burst		Bowl Size		Weight* 50' (15m)		Coil Diameter 50' (15m)	
	psi	kPa	psi	kPa	psi	kPa	inch	mm	lbs.	kg	inch	mm
1-1/2 38	400	2800	800	5600	1200	8400	1-15/16	49	12	5.4	16	406
1-3/4 45	400	2800	800	5600	1200	8400	2-1/8	54	14	6.3	16	406
2-1/2 65	400	2800	800	5600	1200	8400	3	76	25	11.3	19	483
3 75	400	2800	800	5600	1200	8400	3-9/16	90	31	14.0	19	483

Flexline AP8DTP is a lightweight hose that utilizes a thin, high tensile thermoplastic lining to minimize weight. Both the inner and outer jackets are constructed of polyester warp yarns and filament polyester filler yarns. AP8DTP's lining meets the NSF (National Sanitation Foundation) Standard 61 for potable water and has a tensile strength of over 5000 psi (35,000 kPa). AP8DTP is U.L. Listed. The standard color for AP8DTP Hose is white. Other colors available with our innovative PROTECTASHIELD abrasion resistant coatings are red, yellow, orange, blue, green and tan.

Flexatak

Nylon Double Jacket Rubber Lined Fire Hose

Flexline Flexatak												
Size inch mm	Service		Pressure Proof		Burst		Bowl Size		Weight* 50' (15m)		Coil Diameter 50' (15m)	
	psi	kPa	psi	kPa	psi	kPa	inch	mm	lbs.	kg	inch	mm
1-1/2 38	400	2800	800	5600	1200	8400	1-15/16	49	14	6.3	18	457
1-3/4 45	400	2800	800	5600	1200	8400	2-1/8	54	18	8.1	18	457
2-1/2 65	400	2800	800	5600	1200	8400	3	76	25	11.3	20	508
3 75	400	2800	800	5600	1200	8400	3-9/16	90	35	15.8	21	533
4 100	300	2100	600	4200	900	6300	4-17/32	115	41	18.6	25	635
5 125	300	2100	600	4200	900	6300	5-15/32	139	58	26.3	27	686

Flexline Flexatak is constructed of high strength, low stretch entangled filament polyamide/cordura fibers over a rubber, ozone proof, E.P.D.M. tube. Flexatak Hose is available with our innovative PROTECTASHIELD abrasion resistant coating. The standard colors are red, yellow, orange, blue, green and tan.

Flexlite

Nylon Double Jacket Urethane Lined Fire Hose

Flexline Flexlite												
Size inch mm	Service		Pressure Proof		Burst		Bowl Size		Weight* 50' (15m)		Coil Diameter 50' (15m)	
	psi	kPa	psi	kPa	psi	kPa	inch	mm	lbs.	kg	inch	mm
1-1/2 38	400	2800	800	5600	1200	8400	1-15/16	49	12	5.4	16	406
1-3/4 45	400	2800	800	5600	1200	8400	2-1/8	54	14	6.3	16	406
2-1/2 65	400	2800	800	5600	1200	8400	3	76	19	8.6	18	457
3 75	400	2800	800	5600	1200	8400	3-9/16	90	28	12.6	19	483
4 100	300	2100	600	4200	900	6300	4-17/32	105	35	15.8	20	508

Flexline Flexlite utilizes high strength, low stretch entangled filament polyamide/cordura fibers to produce a highly abrasion-resistant lightweight hose. The high-tech thermoplastic lining also contributes to reducing the overall weight of the hose. Flexlite's lining has a tensile strength of over 5000 psi (35,000 kPa). Flexlite Hose is available with our innovative PROTECTASHIELD abrasion resistant coating. The standard colors are red, yellow, orange, blue, green and tan.

TM8 Taskmaster

100% All Synthetic Woven Jacket with Nitrile Inner Tube Double Jacket

Flexline TM8 Taskmaster												
Size inch mm	Service		Pressure Proof		Burst		Bowl Size		Weight* 50' (15m)		Coil Diameter 50' (15m)	
	psi	kPa	psi	kPa	psi	kPa	inch	mm	lbs.	kg	inch	mm
1-3/4 45	400	2800	800	5600	1200	8400	2-1/8	54	18	8.1	16.5	419
2-1/2 65	400	2800	800	5600	1200	8400	3	76	23	10.4	18.5	470

This all synthetic fire hose is designed for municipal fire protection. The outer jacket is made from a high quality HiVis Yellow polyester filament with white I.D. stripe. The inner jacket/lining is a one piece extruded through-the-weave nitrile rubber tube which provides high GPM flow with low friction loss. The finished design couples high abrasion resistance and durability with low overall weight and low drag.