

## Mining Fittings

## **Dixon Mining Fittings**

These lightweight fittings are designed for underground air and water service. Metal to metal taper seat, zinc-plated steel. Available with standard hex nut or iron wing nut.

Boss Fittings











							Female NPT x Nut Thread		Male NPT x Nut Thread	
0:	Stem 5				Wing Nut	D.::/E	Female Spud		Male Spud	
Size	Part #	Price/E	Part #	Price/E	Part #	Price/E	Part #	Price/E	Part #	Price/E
3/8"							MFFS06-16	\$10.50	MFMS06-16	\$12.00
1/2"	MFS08-16	\$3.90	MFN16	\$3.20	MFB2	\$6.50	MFFS08-16	10.50		
3/4"	MFS12-16	5.40	MFN16	3.20	MFB2	6.50	MFFS12-16	10.50		
							MFFS12-20	12.50		
1"	MFS16-16	4.50	MFN16	3.20	MFB2	6.50	MFFS16-16	12.50	MFMS16-16	POR
							MFFS16-20	12.50		
1 1/4"	MFS20-20	16.70	MFN20	9.90						
1 1/2"	MFS24-24	28.60	MFN24	17.30						
2"	MFS32-32	39.70	MFN32	29.30						

Note: Spuds ending with -16 for use with MFN16 or MFB2. Spuds ending with -20 for use with MFN20.

## **Schedule 40 Pipe Nipples**

All double reamed ends





Victaulic Groove x MNPT

Male NPT

Size	Victaulic Groove Part #	Price	Male NPT Part #	Price	Overall Length
1"	MFVN16	POR	MFTN16	\$3.90	3"

## **Dixon Mining Fitting Sleeves**

The mining fitting crimp sleeves are an alternative to using band clamps for securing  $\frac{1}{2}$  and 1" Dixon mining fittings to mine air and water hoses. The crimp sleeves are easy to install and offer a consistent hold to the hose, using hydraulic crimpers from various manufacturers. **Consult Dixon for crimp specifications.** 



Hose I.D.	Hose O.D. From: To:		Part #	Description		
1/2" 1/2"	49/64" 60/64"	59/64" 1-8/64"	MF8-1 MF8-2	1/2" plated steel crimp sleeve, use with MFS08-16 mining stem 1/2" plated steel crimp sleeve, use with MFS08-16 mining stem	POR POR	
1" 1"	1-29/64" 1-39/64"	1-38/64" 1-52/64"	MF16-1 MF16-2	1" plated steel crimp sleeve, use with MFS16-16 mining stem 1" plated steel crimp sleeve, use with MFS16-16 mining stem	POR POR	

90 DPL108



We Ship World Wide