

GOODYEAR RUBBER PRODUCTS INC. Call Toll Free: 1-866-711-4673
WebSales@GoodyearRubberProducts.com

We Ship World Wide

	Terms & Conditions1		150 Aqua Trap®	40
	Safety/Anti-Fatigue • "Dry • Superior"	NEW :	161 Barrier Rib™	4
	979 Saddle Trax [™]		Entrance • "Better"	
	970 Marble Sof-Tyle™ Grande™	NEW :	166 Guzzler™	42 - 43
	980 Pebble Trax [®] Grande [™]	NEW	167 Portrait™	42 - 43
	974 Ergo Mat [™] Grande [™] 5	NEW :	168 Opus [™]	42 - 43
	Safety/Anti-Fatigue • "Dry • Best"		105 Chevron	
	479 Cushion Trax [®]		117 Heritage Rib®	45
	470 Marble Sof-Tyle™7		131 Dante [™] Decalon®	
	480 Pebble Trax®		136 Polynib®	47
	474 Ergo Mat [™] 9		Entrance • "Good"	
	Safety/Anti-Fatigue • "Dry • Better"		109 Brush Step®	48
	419 Diamond Sof-Tred™ w/Dyna-Shield®10		130 Sabre™ Decalon®	
	406 Razorback® w/Dyna-Shield®11		Entrance • "Outdoor"	
	413 Blade Runner® w/Dyna-Shield®11		265 Wayfarer®	50 - 51
	417 Bubble Sof-Tred TM w/Dyna-Shield [®]		266 Wayfarer® Custom	
	415 Pebble Step Sof-Tred TM w/Dyna-Shield [®] 12		340/350 Soil Guard™ Series	
	Safety/Anti-Fatigue • "Dry • Good"		345 Rubber Brush™	
	410 Airug [®]		Entrance • "Foyer"	
	411 Sof-Tred™		323 Smart Step™/Arrow Trax™	54
	Safety/Anti-Fatigue • "Wet/Dry • Superior"		325 Smart Step™/Decalon®	
EW	850 Niru® Cushion-Ease® GSII™		370 Master Trax [™]	
	856 Niru® Cushion-Ease® Solid GSII TM		Entrance • "Logo"	
	650 Niru® Cushion-Ease®		180 Tufted Logo Matting	56
	656 Niru® Cushion-Ease® Solid	NEW		
•	549 Safety Stance [®]		Accessories	
	543 Cushion-Tred™		083 Std. Beveled Nosing	58
	520/522 Cushion-Lok™ Series		084 HD Beveled Nosing	
	920/922 Cushion-Lok™ Solid-Top Series19		085 Velcro®	
	Safety/Anti-Fatigue • "Wet/Dry • Best"		090 Mat Hold	
	550 Cushion-Ease®		096 Application Roller	
	556 Cushion-Ease® Solid		Food Service	
	Safety/Anti-Fatigue • "Wet/Dry		550 Cushion-Ease®	60
	551 M.D. Ramp System™22		543 Cushion-Tred™	6
	Safety/Anti-Fatigue • "Wet/Dry • Better"		544 Comfort Zone™	62
	420/422 Cushion-Dek™ Series		562 Sanitop®	63
	447 Comfort-Eze™		755 Niru® Versa Runner®	64
	562 Sanitop®		758 Niru® Knob-Top Runner®	6
	545 Diamond Top Interlock™		523 Modular Lok-Tyle™	
	755 Niru® Versa Runner®27		765 Deep-Freeze Mat™	67
	758 Niru® Knob-Top Runner®		Specialty	
	Industrial & Commercial Runners		523 Modular Lok-Tyle™	68
	730 Vinyl Corrugated V-Groove		531 Safety Grid™	69
	750 Rubber Corrugated V-Groove		035 Skate-Spike Matting™	70 - 71
	735 Round Rib Runner		045 Weight Room Matting	70 - 71
	737 Diamond Plate Runner		769 Clear Trax [™]	70 - 71
	Entrance • "Superior"		680 Safety Trax [™]	72
	137 Opera [™]	NEW :	950/951 Knee RX Series	73
	148 Intermission™31		Dissipative/Anti-Static • "Better"	
	231 Prelude TM		825 Cushion-Stat $^{\text{TM}}$ w/Dyna-Shield $^{\text{R}}$	
	146 Encore™32 – 33		826 Diamond Stat™	
_	141 Ovation™32 – 33		Insulative/Non-Conductive • "Best"	
IEW =	138 Uptown™34		830 Switchboard Matting	
IEW =	139 Boulevard™35		831 Diamond Switchboard Matting	77
IEW =	170 OrienTrax [™]		Product Glossary/Test Information	
	Entrance ● "Best"		Product Index (Bv Part #)	79

				045					035			
LEGEND:				340	543BL		650		406	420		825
1 = Recommended 2 = Suitable for Use				345	544BL		656		410	422	523	826
3 = Useable, not recomm	ended			346	545BL		850	543RD	411	479	531	830
4 = Not Recommended	ciidod			447	549AII	750	856	544RD	413	520	730	831
				470	550BL	970	551	550RD	415	520HD	735	920H
01	F	01	0	474	556BL	974	755AII	556RD	417	522	737	922H
Chemical	Form	Chemical Family	Concentration	480	562BL	980	758AII	562RD	419	522HD	769	979
Hydrogen Peroxide	Liquid			3	3	3	3	3	_1_	1	1	1_
lodine	Liquid	Inorganic Halogenated Comp		4	4	4	3	3	1	1	1	1
IRM 902	Liquid	Napathenic Oil		4	4	4	2	2	n/a	n/a	n/a	n/a
IRM 903	Liquid	Napathenic Oil		4	4	4	2	2	n/a	n/a	n/a	n/a
Jet Fuel	Liquid	Aromatic HC		4	4	4	1	1	3	3	3	3
Kerosene	Liquid	Aliphatic HC		4	4	4	1	1	3	3	3	3
Lacquers	Liquid	Aromatic HC (with alcohol)		4	4	4	4	4	4	4	4	4
Linoleic Acid	Liquid	Fatty Acid		4	4	4	2	2				
Linseed Oil	Liquid	Fatty Acid		4	4	4	1	1	2	2	2	2
Methane	Liquid	Aliphatic HC		4	4	4	- 1	1	2	2	2	2
Methyl Alcohol (methanol)	Liquid	Alcohol		1	1	1	1	1	1	1	1	1
Methyl Ethyl Ketone (MEK)	Liquid	Ketone		4	4	4	4	4	4	4	4	4
Methyl Formate	Liquid	Alcohol		3	3	3	3	3	3	3	3	3
Methyl Isobutyl Ketone (MIBK)	Liquid	Ketone		4	4	4	4	4	4	4	4	4
	·											
Methyl Methacrylate	Liquid	Ester		4	4	4	4	4	1_	1	1	1
Methylene Chloride	Liquid	Aliphatic HC (halogenated)		4	4	4	4	4	4	4	4	4
Mineral Oil	Liquid	Petroleum HC		4	4	4	1	_1_	3	3	3	3
Mineral Spirits	Liquid	Aliphatic HC		4	4	4	2	2	3	3	3	3
Motor Oil 10w-30 (natural)	Liquid	Paraffin Oil		4	4	4	1	2	2	2	2	2
Motor Oil 10w-30(synthetic)	Liquid	Paraffin Oil		4	4	4	1	2	2	2	2	2
Napathenic	Liquid	Aromatic HC		4	4	4	- 1	1				
Naptha	Liquid	Aromatic HC		4	4	4	1	1	2	2	2	2
Nitric Acid	Liquid	Acid (strong)	20%	4	4	4	4	4	2	2	2	2
Nitric Acid	Liquid		Concentrated	4	4	4	4	4	2	2	2	2
Nitrobenzene	Liquid	Aromatic HC		4	4	4	4	4	4	4	4	4
Octane	Liquid	Aliphatic HC		4	4	4	- 1	1	2	2	2	2
Oleic Acid	Liquid	Acid		4	4	4	2	2	3	3	3	3
Oxalic Acid	Liquid	Acid (weak)		2	2	2	2	2	2	2	2	2
Peanut Oil	Liquid	Fatty Acid		4	4	4	2	2	1	1	1	1
Pentane	Liquid	Aliphatic HC		4	4	4	1	1	2	2	2	2
Perchloroethylene	Liquid	Aliphatic HC (chlorinated)		4	4	4	2	2	3	3	3	3
Petroleum	Liquid	Aliphatic HC		4	4	4	1	1	2	2	2	2
Phosphoric Acid	Liquid	Acid (weak)		2	2	2	3	3	1	1	1	1
Pine Oil	Liquid	Turpene/Alcohol/Ether	100%	4	4	4	3	4	4	4	4	4
Pine Oil	Liquid		20%=Pine-Sol	3	3	3	2	2	3	3	3	3
Potassium Hydroxide	Liquid	Base (strong)	50%	2	2	2	2	2	_1_	1	_1_	1
Power Steering Fluid	Liquid	Napathenic Oil		4	4	4	1	2	2	2	2	2
Propane	Liquid	Aliphatic HC		4	4	4	1	1	1_	1	1	1
Propyl Alcohol (propanol)	Liquid	Alcohol		1	1	1	1	1	2	2	2	2
Propylene Dichloride	Liquid	Aliphatic HC		4	4	4	4	4	4	4	4	4
Salt Water	Liquid			1	1	1	1	1	1	1	1	- 1
Silicates	Solid	Alkali Metals		1	1	1	1	1	1	1	1	- 1
Silver Nitrate	Solid	Inorganic Salt		1	1	1	2	2	1	1	1	- 1
Sodium Bicarbonate	Solid	Inorganic Salt		1	1	1	1	1	1	1	1	- 1
Sodium Hydroxide	Liquid	Base (strong)		2	2	2	2	2	2	2	2	2
Sodium Hydroxide	Liquid	()	0.34% = Mr. Clean	1	1	1	1	1	1	1	1	1
Sodium Hypochlorite (bleach)	Liquid	Base	5.5 . /u — HII. GIOGII	1	1	1	1	1	1	1	1	1
Stearic Acid	Liquid	Fatty Acid		3	3	3	1	1	2	2	2	2
Styrene	Liquid	Aromatic HC	100/	4	4	4	4	4	4	4	4	4
Sulfuric Acid	Liquid	Acid (strong)	<10%	2	2	2	2	2	_1_	1	_1_	1
Sulfuric Acid	Liquid		10-75%	3	3	3	4	4	_1_	1	1	1
Sulfuric Acid	Liquid		Concentrated	4	4	4	4	4	4	4	4	4
Tetrahydrofuran (THF)	Liquid	Ether		4	4	4	4	4	4	4	4	4
Toluene (methyl benzene)	Liquid	Aromatic HC		4	4	4	3	3	4	4	4	4
Totaorio (incaryi berizene)	Liquiu											



TABLE OF CONTENTS

Call Toll Free: 1-866-711-4673

We Ship World Wide

	Terms & Conditions1		150 Aqua Trap®	40
	Safety/Anti-Fatigue • "Dry • Superior"	NEW :	161 Barrier Rib™	4
	979 Saddle Trax [™]		Entrance • "Better"	
	970 Marble Sof-Tyle™ Grande™	NEW :	166 Guzzler™	42 - 43
	980 Pebble Trax [®] Grande [™]	NEW	167 Portrait™	42 - 43
	974 Ergo Mat [™] Grande [™] 5	NEW :	168 Opus [™]	42 - 43
	Safety/Anti-Fatigue • "Dry • Best"		105 Chevron	
	479 Cushion Trax [®]		117 Heritage Rib®	45
	470 Marble Sof-Tyle™7		131 Dante [™] Decalon®	
	480 Pebble Trax®		136 Polynib®	47
	474 Ergo Mat [™] 9		Entrance • "Good"	
	Safety/Anti-Fatigue • "Dry • Better"		109 Brush Step®	48
	419 Diamond Sof-Tred™ w/Dyna-Shield®10		130 Sabre™ Decalon®	
	406 Razorback® w/Dyna-Shield®11		Entrance • "Outdoor"	
	413 Blade Runner® w/Dyna-Shield®11		265 Wayfarer®	50 - 5 ¹
	417 Bubble Sof-Tred TM w/Dyna-Shield [®]		266 Wayfarer® Custom	
	415 Pebble Step Sof-Tred TM w/Dyna-Shield [®] 12		340/350 Soil Guard™ Series	
	Safety/Anti-Fatigue • "Dry • Good"		345 Rubber Brush™	
	410 Airug [®]		Entrance • "Foyer"	
	411 Sof-Tred™		323 Smart Step™/Arrow Trax™	54
	Safety/Anti-Fatigue • "Wet/Dry • Superior"		325 Smart Step™/Decalon®	
EW	850 Niru® Cushion-Ease® GSII™		370 Master Trax [™]	
	856 Niru® Cushion-Ease® Solid GSII TM		Entrance • "Logo"	
	650 Niru® Cushion-Ease®		180 Tufted Logo Matting	56
	656 Niru® Cushion-Ease® Solid	NEW		
•	549 Safety Stance [®]		Accessories	
	543 Cushion-Tred™		083 Std. Beveled Nosing	58
	520/522 Cushion-Lok™ Series		084 HD Beveled Nosing	
	920/922 Cushion-Lok™ Solid-Top Series19		085 Velcro®	
	Safety/Anti-Fatigue • "Wet/Dry • Best"		090 Mat Hold	
	550 Cushion-Ease®		096 Application Roller	
	556 Cushion-Ease® Solid		Food Service	
	Safety/Anti-Fatigue • "Wet/Dry		550 Cushion-Ease®	60
	551 M.D. Ramp System™22		543 Cushion-Tred™	6
	Safety/Anti-Fatigue • "Wet/Dry • Better"		544 Comfort Zone™	62
	420/422 Cushion-Dek™ Series		562 Sanitop®	63
	447 Comfort-Eze™		755 Niru® Versa Runner®	64
	562 Sanitop®		758 Niru® Knob-Top Runner®	6
	545 Diamond Top Interlock™		523 Modular Lok-Tyle™	
	755 Niru® Versa Runner®27		765 Deep-Freeze Mat™	67
	758 Niru® Knob-Top Runner®		Specialty	
	Industrial & Commercial Runners		523 Modular Lok-Tyle™	68
	730 Vinyl Corrugated V-Groove		531 Safety Grid™	69
	750 Rubber Corrugated V-Groove		035 Skate-Spike Matting™	70 - 71
	735 Round Rib Runner		045 Weight Room Matting	70 - 71
	737 Diamond Plate Runner		769 Clear Trax [™]	70 - 71
	Entrance • "Superior"		680 Safety Trax [™]	72
	137 Opera [™]	NEW :	950/951 Knee RX Series	
	148 Intermission™31		Dissipative/Anti-Static • "Better"	
	231 Prelude TM		825 Cushion-Stat $^{\text{TM}}$ w/Dyna-Shield $^{\text{R}}$	
	146 Encore™32 – 33		826 Diamond Stat™	
_	141 Ovation™32 – 33		Insulative/Non-Conductive • "Best"	
IEW =	138 Uptown™34		830 Switchboard Matting	
IEW =	139 Boulevard™35		831 Diamond Switchboard Matting	77
IEW =	170 OrienTrax [™]		Product Glossary/Test Information	
	Entrance ● "Best"		Product Index (Bv Part #)	79

				045					035			
LEGEND:				340	543BL		650		406	420		825
1 = Recommended 2 = Suitable for Use				345	544BL		656		410	422	523	826
3 = Useable, not recomm	ended			346	545BL		850	543RD	411	479	531	830
4 = Not Recommended	ciidod			447	549AII	750	856	544RD	413	520	730	831
				470	550BL	970	551	550RD	415	520HD	735	920H
01	F	01	0	474	556BL	974	755AII	556RD	417	522	737	922H
Chemical	Form	Chemical Family	Concentration	480	562BL	980	758AII	562RD	419	522HD	769	979
Hydrogen Peroxide	Liquid			3	3	3	3	3	_1_	1	1	1_
lodine	Liquid	Inorganic Halogenated Comp		4	4	4	3	3	1	1	1	1
IRM 902	Liquid	Napathenic Oil		4	4	4	2	2	n/a	n/a	n/a	n/a
IRM 903	Liquid	Napathenic Oil		4	4	4	2	2	n/a	n/a	n/a	n/a
Jet Fuel	Liquid	Aromatic HC		4	4	4	1	1	3	3	3	3
Kerosene	Liquid	Aliphatic HC		4	4	4	1	1	3	3	3	3
Lacquers	Liquid	Aromatic HC (with alcohol)		4	4	4	4	4	4	4	4	4
Linoleic Acid	Liquid	Fatty Acid		4	4	4	2	2				
Linseed Oil	Liquid	Fatty Acid		4	4	4	1	1	2	2	2	2
Methane	Liquid	Aliphatic HC		4	4	4	- 1	1	2	2	2	2
Methyl Alcohol (methanol)	Liquid	Alcohol		1	1	1	1	1	1	1	1	1
Methyl Ethyl Ketone (MEK)	Liquid	Ketone		4	4	4	4	4	4	4	4	4
Methyl Formate	Liquid	Alcohol		3	3	3	3	3	3	3	3	3
Methyl Isobutyl Ketone (MIBK)	Liquid	Ketone		4	4	4	4	4	4	4	4	4
	·											
Methyl Methacrylate	Liquid	Ester		4	4	4	4	4	1_	1	1	1
Methylene Chloride	Liquid	Aliphatic HC (halogenated)		4	4	4	4	4	4	4	4	4
Mineral Oil	Liquid	Petroleum HC		4	4	4	1	_1_	3	3	3	3
Mineral Spirits	Liquid	Aliphatic HC		4	4	4	2	2	3	3	3	3
Motor Oil 10w-30 (natural)	Liquid	Paraffin Oil		4	4	4	1	2	2	2	2	2
Motor Oil 10w-30(synthetic)	Liquid	Paraffin Oil		4	4	4	1	2	2	2	2	2
Napathenic	Liquid	Aromatic HC		4	4	4	- 1	1				
Naptha	Liquid	Aromatic HC		4	4	4	1	1	2	2	2	2
Nitric Acid	Liquid	Acid (strong)	20%	4	4	4	4	4	2	2	2	2
Nitric Acid	Liquid		Concentrated	4	4	4	4	4	2	2	2	2
Nitrobenzene	Liquid	Aromatic HC		4	4	4	4	4	4	4	4	4
Octane	Liquid	Aliphatic HC		4	4	4	- 1	1	2	2	2	2
Oleic Acid	Liquid	Acid		4	4	4	2	2	3	3	3	3
Oxalic Acid	Liquid	Acid (weak)		2	2	2	2	2	2	2	2	2
Peanut Oil	Liquid	Fatty Acid		4	4	4	2	2	1	1	1	1
Pentane	Liquid	Aliphatic HC		4	4	4	1	1	2	2	2	2
Perchloroethylene	Liquid	Aliphatic HC (chlorinated)		4	4	4	2	2	3	3	3	3
Petroleum	Liquid	Aliphatic HC		4	4	4	1	1	2	2	2	2
Phosphoric Acid	Liquid	Acid (weak)		2	2	2	3	3	1	1	1	1
Pine Oil	Liquid	Turpene/Alcohol/Ether	100%	4	4	4	3	4	4	4	4	4
Pine Oil	Liquid		20%=Pine-Sol	3	3	3	2	2	3	3	3	3
Potassium Hydroxide	Liquid	Base (strong)	50%	2	2	2	2	2	_1_	1	_1_	1
Power Steering Fluid	Liquid	Napathenic Oil		4	4	4	1	2	2	2	2	2
Propane	Liquid	Aliphatic HC		4	4	4	1	1	1_	1	1	1
Propyl Alcohol (propanol)	Liquid	Alcohol		1	1	1	1	1	2	2	2	2
Propylene Dichloride	Liquid	Aliphatic HC		4	4	4	4	4	4	4	4	4
Salt Water	Liquid			1	1	1	1	1	1	1	1	- 1
Silicates	Solid	Alkali Metals		1	1	1	1	1	1	1	1	- 1
Silver Nitrate	Solid	Inorganic Salt		1	1	1	2	2	1	1	1	- 1
Sodium Bicarbonate	Solid	Inorganic Salt		1	1	1	1	1	1	1	1	- 1
Sodium Hydroxide	Liquid	Base (strong)		2	2	2	2	2	2	2	2	2
Sodium Hydroxide	Liquid	()	0.34% = Mr. Clean	1	1	1	1	1	1	1	1	1
Sodium Hypochlorite (bleach)	Liquid	Base	5.5 . /u — HII. GIOGII	1	1	1	1	1	1	1	1	1
Stearic Acid	Liquid	Fatty Acid		3	3	3	1	1	2	2	2	2
Styrene	Liquid	Aromatic HC	100/	4	4	4	4	4	4	4	4	4
Sulfuric Acid	Liquid	Acid (strong)	<10%	2	2	2	2	2	_1_	1	_1_	1
Sulfuric Acid	Liquid		10-75%	3	3	3	4	4	_1_	1	1	1
Sulfuric Acid	Liquid		Concentrated	4	4	4	4	4	4	4	4	4
Tetrahydrofuran (THF)	Liquid	Ether		4	4	4	4	4	4	4	4	4
Toluene (methyl benzene)	Liquid	Aromatic HC		4	4	4	3	3	4	4	4	4
Totaorio (incaryi berizene)	Liquiu											



TABLE OF CONTENTS

Call Toll Free: 1-866-711-4673

We Ship World Wide WARRANTY: All NOTRAX® & AKRO® floor matting is manufactured of the highest quality material and workmanship. Dependability and service of our products are guaranteed under normal conditions of use, or a full refund or replacement (based on the manufacturer's discretion) will be made. Buyer has the responsibility to determine the suitability of the product and assumes any liability in connection with such use. Seller shall not be liable for damages in excess of purchase price of product. Warranty does not apply to splicing or seaming of mats. Laminate - top products (including UniFusion™ products) with foam backing are not guaranteed against spike heels or stool legs.

Superior Manufacturing Group guarantees the bond on all NoTrax® laminated mats that incorporate the UniFusion™ process for the lifetime of the mat. The bond is guaranteed under normal conditions of use in reasonable dry application environments, or a full refund or replacement mat (based on the manufacturer's discretion) will be issued. Proof of purchase is required for all refunds or replacements. This lifetime warranty protects against de-lamination or bond failure, and does not cover issues unrelated to the bond such as wear or foam tears.

PRODUCT SPECIFICATIONS: All products are manufactured to meet or exceed normal industry standards. Reasonable variations in size and/or color may occur. Tolerances will vary by manufacturing process. For specific information on any given product, contact our customer service department.

Full Rolls on carpet mats only have vinyl borders on the sides, ends are not provided with any nosing. If finished, nosed ends are required, the roll is priced at the "Cut Lengths" level which is a 15% up-charge.

All Entrance matting passes the Flammability Test DOC-FF-1-70. The only carpeted entrance mats that should be considered for splicing are the #130 Sabre/Polyplush™ and the #131 Dante™. Matting should never be stored on-end. For proper storage, roll mat with top surface to the outside and lay flat in a protected area. Do not stack any materials or other matting on top of a stored mat. When placing a mat into service, be certain that the floor to be covered and the back of the mat are completely free of dirt and debris. Foreign material on the floor or the mat will cause slippage and possible injury. Manufacturer will not be liable for any injuries resulting from failure to follow recommended housekeeping procedures. Frequent cleaning under mats is also required to maintain warranty.

TERMS: 1% 10 Days, Net 30 Days. Discount applies ONLY to invoices paid within 10 days of invoice date. (Shipping charges, handling charges and taxes are excluded.)

PAYMENT: Superior Manufacturing Group accepts payments via VISA® and MASTERCARD®. C.O.D. payments no longer accepted.





PRICING: All prices are manufacturer's suggested list. Pricing quoted only to existing NOTRAX® & AKRO® Distributors. Prices are subject to change without notice.

ORDERING: When ordering, specify product number, size, color, quantity and any special instructions required.

MINIMUM ORDER CHARGE: No minimum order required. However, a \$5.00 small-order handling charge will be added to all orders having a net value of \$25.00 or less.

FREIGHT TERMS: F.O.B. Factory, -IL, GA or MS (see "Location" shown for each item) - No Freight Allowed. A handling charge will be imposed on all U.P.S.™; FedEx™ Ground & FedEx™ Shipments.

DAMAGED GOODS AND SHORTAGES: All delivered material should be inspected and counted BEFORE accepting shipment. Any damages or shortages should be documented on freight bill. If any discrepancies occur, please contact our customer service department for assistance in filing a claim.

RETURN GOODS AUTHORIZATION: Factory approval is required prior to product returns. Standard stock items in new saleable condition will be accepted for return, freight prepaid subject to a 15% or 20% (depending on product) restocking charge. Custom sizes, cut lengths or special ordered products are non-refundable and non-returnable. Return shipments must be made to the correct plant as noted on the return goods authorization. Failure to do so will incur a transportation fee deducted from the credit.

RESTOCKING CHARGES:

Full Rolls/Stock Sizes-15% • Broken Cases-20%

SUPERIOR MANUFACTURING GROUP, INC.




Superior Manufacturing Group, Inc., is a proud member of the


U.S. Green Building Council.

SADDLE TRAXTM • GRANDETM


- Sales Tip: Use in toughest industrial environments where worker fatigue prevention is most critical. Ideal for multi-shift environments.
- Where to Specify: Any work cell where worker is at the station for prolonged periods of time.
- One of the 4 most comfortable mats available for dry area applications.
- · Durable vinyl diamond-plate top surface is combined with dense closed cell foam base utilizing NOTRAX® exclusive UniFusion™ technology.
- UniFusion™ bond guaranteed for the life of the mat See warranty for details
- · Overall mat thickness is a full ONE-INCH.
- Sloped beveled foam on all 4 undersides affords easy access onto and off of mat.
- Manufacturer's warranty of 3 years is provided.
- Custom widths available











#979 SADDLE TRAX					-	ustom
Stock Sizes	2' x 3'	3' x 5'	31	x 12'	W	Vidths
List Price: Black or Gray	\$84.00	\$210.00	\$5	504.00	\$16	.80/sq.ft.
List Price: Black-Yellow	\$92.16	\$230.40	\$5	552.96	\$18	.43/sq.ft.
Weight (lbs.)	12	30		72	2.	0/sq.ft.
Roll Sizes	2' x 75'	3' x 75'	4'	x 75'		
List Price: Black or Gray	\$2100.00	\$3150.00	\$4	200.00		
List Price: Black-Yellow	\$2304.00	\$3456.00	\$4	608.00		
Weight (lbs.)	300	450		600		
Custom Sizes	2' Widths	3' Wid	ths	4' Widtl	15	5' Widths
List Price: Black or Gray	\$14.00/sq.ft	:. \$14.00/s	q.ft.	\$14.00/sc	ı.ft.	\$14.00/sq.ft
List Price: Black-Yellow	\$15.36/sq.ft	:. \$15.36/s	q.ft.	\$15.36/sc	ı.ft.	\$15.36/sq.ft
Weight (lbs.)	2.0/sq.ft.	2.0/sq.	ft.	2.0/sq.f	t.	2.0/sq.ft.

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459 * For applications on carpeted, finished or polished surfaces, Mat Hold (090 - pg.59) is recommended to minimize mat movement



MARBLE SOF-TYLE™ • GRANDE™

- Sales Tip: Easy to sweep clean or damp mop top surface. Recommend where there is attention to fatigue prevention and concern for the mat to match a décor.
- Where to Specify: Lab testing areas, Check-out counters, Order fulfillment lines, Pharmacies.
- One of the 4 most comfortable mats available for dry area applications.
- Smooth marble-pattern top surface of heavy-duty rubber is combined with dense closed cell foam base utilizing NOTRAX® exclusive UniFusion™ technology.
- UniFusion™ bond guaranteed for the life of the mat See warranty for details
- Overall mat thickness is a full ONE-INCH.
- Sloped beveled foam on all 4 undersides affords easy access onto and off of mat.
- Manufacturer's warranty of 3 years is provided.
- · Custom widths available








Stock Sizes	2' x 3'	3' x 5'	3' x 12'	Widths
List Price	\$88.92	\$222.30	\$533.52	\$17.78/sq.ft
Weight (lbs.)	12	30	72	2.0/sq.ft.
Roll Sizes	2' x 75'	3' x 75'	4' x 75'	
List Price	\$2223.00	\$3334.50	\$4446.00	
Weight (lbs.)	300	450	600	
Custom Sizes	2¹ Widths	3' Widths	4' Widths	
List Price	\$14.82/sq.ft.	\$14.82/sq.ft.	\$14.82/sq.ft.	
Weight (lbs.)	2.0/sq.ft.	2.0/sq.ft.	2.0/sq.ft.	

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459 * For applications on carpeted, finished or polished surfaces, Mat Hold (090 - pg.59) is recommended to minimize mat movement








Grav

PEBBLE TRAX[®] ● GRANDETM

- Sales Tip: Rubber top resists exposure to sparks from welding. Easy to clean non-directional top surface. Ideal for multi-shift environments.
- Where to Specify: Welding locations; work cells that are subjected to extreme traffic.
- One of the 4 most comfortable mats available for dry area applications.
- · Pebble-embossed top surface of resilient SBR rubber is combined with dense closed cell foam base utilizing NOTRAX® exclusive UniFusion™ technology.
- UniFusion™ bond guaranteed for the life of the mat See warranty for details
- Overall mat thickness is a full ONE-INCH.
- · Sloped beveled foam on all 4 undersides affords easy access onto and off of mat.
- Manufacturer's warranty of 3 years is provided.
- · Custom widths available



















Stock Sizes	2' x 3'	3' x 5'	3' x 12'	Custom Widths	3	
List Price	\$71.64	\$179.10	\$429.84	\$14.33/sq.ft.		
Weight (lbs.)	12	30	72	2.0/sq.ft.		
Roll Sizes & Custom Sizes	2' x 75'	3' x 75'	4' x 75'	2' Widths	3' Widths	4' Widths
List Price	\$1791.00	\$2686.50	\$3582.00	\$11.94/sq.ft.	\$11.94/sq.ft.	\$11.94/sq.ft.
Weight (lbs.)	300	450	600	2.0/sq.ft.	2.0/sq.ft.	2.0/sq.ft.

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459


^{*} For applications on carpeted, finished or polished surfaces, Mat Hold (090 – pg.59) is recommended to minimize mat movement



ERGO MAT™ • GRANDE™

- Sales Tip: Ribs run the length of the mat. Rubber top resists exposure to sparks from welding. Ideal for multishift environments.
- Where to Specify: All busy work cells that require more slip resistance than average.
- One of the 4 most comfortable mats available for dry area applications.
- Corrugated ribbed top surface of resilient SBR rubber is combined with dense closed cell foam base utilizing NOTRAX® exclusive UniFusion™ technology.
- UniFusion[™] bond guaranteed for the life of the mat See warranty for details
- Overall mat thickness is a full ONE-INCH.
- Sloped beveled foam on all 4 undersides affords easy access onto and off of mat.
- Manufacturer's warranty of 3 years is provided.
- · Custom widths available







#974 ERGO MAT™ GRANDE™

Stock Sizes	2' x 3'	3' x 5'	3' x 12'	Custom Widths	;	
List Price	\$71.64	\$179.10	\$429.84	\$14.33/sq.ft.		
Weight (lbs.)	12	30	72	2.0/sq.ft.		
Roll Sizes & Custom Sizes	2' x 75'	3' x 75'	4' x 75'	2' Widths	31 Widths	4' Widths
List Price	\$1791.00	\$2686.50	\$3582.00	\$11.94/sq.ft.	\$11.94/sq.ft.	\$11.94/sq.ft.
Weight (lbs.)	300	450	600	2.0/sq.ft.	2.0/sq.ft.	2.0/sq.ft.

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459








^{*} For applications on carpeted, finished or polished surfaces, Mat Hold (090 - pg.59) is recommended to minimize mat movement

CUSHION TRAX®

- Sales Tip: Diamond surface provides non-directional slip resistance.
- Where to Specify: Machine operating stations needing fatigue prevention and sure footing.
- Durable vinyl diamond-plate top surface is combined with dense closed cell foam base utilizing NOTRAX® exclusive UniFusion™ technology.
- UniFusion™ bond guaranteed for the life of the mat See warranty for details
- Overall mat thickness is 9/16 inch.
- · Sloped beveled foam on all 4 undersides affords easy access onto and off of mat.
- · Custom widths available











#479 CUSHION TRA	Kım				Cı	ustom
Stock Sizes	2' x 3'	3' x 5'	31	x 12'	W	/idths
List Price: Black or Gray	\$67.20	\$168.00	\$4	03.20	\$13	.44/sq.ft.
List Price: Black-Yellow	\$73.56	\$183.90	\$4	41.36	\$14	.71/sq.ft.
Weight (lbs.)	9	20		48	1.3	36/sq.ft.
Roll Sizes	2' x 75'	3' x 75'	4'	x 75'		
List Price: Black or Gray	\$1680.00	\$2520.00	\$33	360.00		
List Price: Black-Yellow	\$1839.00	\$2758.50	\$36	78.00		
Weight (lbs.)	215	320	4	125		
Custom Sizes	2' Widths	3' Widt	hs	4' Widtl	hs	5' Widths
List Price: Black or Gray	\$11.20/sq.ft	. \$11.20/s	q.ft.	\$11.20/sd	η.ft.	\$11.20/sq.ft.
List Price: Black-Yellow	\$12.26/sq.ft	. \$12.26/s	q.ft.	\$12.26/sd	ı.ft.	\$12.26/sq.ft.
Weight (lbs.)	1.36/sq.ft.	1.36/sq	ft	1.36/sq.	ft.	1.36/sq.ft.

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459 * For applications on carpeted, finished or polished surfaces, Mat Hold (090 - pg.59) is recommended to minimize mat movement

MARBLE SOF-TYLETM



- Sales Tip: Easy to sweep clean or damp mop top surface.

 Recommended where there is a minimal amount of debris in the environment and a concern for the mat to match a décor.
- Where to Specify: Lab testing areas, Check-out counters, Order fulfillment lines.
- Smooth marble-pattern top surface of heavy-duty rubber is combined with dense closed cell foam base utilizing NOTRAX® exclusive UniFusion™ technology.
- UniFusion™ bond guaranteed for the life of the mat –
 See warranty for details
- Overall mat thickness is 1/2 inch.
- Sloped beveled foam on all 4 undersides affords easy access onto and off of mat.
- · Custom widths available








#470 MARBLE SOF-TYLE™ Custom **Stock Sizes** 21 x 31 Widths 3' x 5' 31 x 121 **List Price** \$71.76 \$179.40 \$430.56 \$14.35/sq.ft. Weight (lbs.) 23 54 1.49/sq.ft. **Roll Sizes** 2' x 75' 3' x 75' 4' x 75' **List Price** \$1794.00 \$2691.00 \$3588.00 Weight (lbs.) 224 335 447 **Custom Sizes** 2' Widths 3' Widths 4' Widths **List Price** \$11.96/sq.ft. \$11.96/sq.ft. \$11.96/sq.ft. Weight (lbs.) 1.49/sq.ft. 1.49/sq.ft. 1.49/sq.ft.

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459
* For applications on carpeted, finished or polished surfaces, Mat Hold (090 – pg.59)
is recommended to minimize mat movement








PEBBLE TRAX®

- Sales Tip: Rubber top resists exposure to sparks from welding. Easy to clean nondirectional top surface.
- Where to Specify: Welding locations.
- Pebble-embossed top surface of resilient SBR rubber is combined with dense closed cell foam base utilizing NOTRAX® exclusive UniFusion TM technology.
- UniFusion™ bond guaranteed for the life of the mat See warranty for details
- Overall mat thickness is 1/2 inch.
- Sloped beveled foam on all 4 undersides affords easy access onto and off of mat.
- · Custom widths available




















#480 PEBBLE TRAX®											
Stock Sizes	2' x 3'	3' x 5'	3' x 12'	Custom Widths							
List Price	\$57.72	\$144.30	\$346.32	\$11.54/sq.ft.							
Weight (lbs.)	9	20	50	1.17/sq.ft.							
Roll Sizes & Custom Sizes	2' x 75'	3' x 75'	4' x 75'	2' Widths	3' Widths	4' Widths					
List Price	\$1443.00	\$2164.50	\$2886.00	\$9.62/sq.ft.	\$9.62/sq.ft.	\$9.62/sq.ft.					
Weight (lbs.)	176	264	351	1.17/sq.ft.	1.17/sq.ft.	1.17/sq.ft.					


Shipping Location: Superior Manufacturing Group - Moselle, MS 39459
* For applications on carpeted, finished or polished surfaces, Mat Hold (090 – pg.59) is recommended to minimize mat movement

ERGO MATTM



- Sales Tip: Ribs run the length of the mat. Rubber top resists exposure to sparks from welding.
- Where to Specify: Any work cell that requires added slip resistance.
- Corrugated ribbed top surface of resilient SBR rubber is combined with dense closed cell foam base utilizing NOTRAX® exclusive UniFusion™ technology.
- UniFusion™ bond guaranteed for the life of the mat See warranty for details
- Overall mat thickness is 1/2 inch.
- Sloped beveled foam on all 4 undersides affords easy access onto and off of mat.
- · Custom widths available











Shipping Location: Superior Manufacturing Group - Moselle, MS 39459










^{*} For applications on carpeted, finished or polished surfaces, Mat Hold (090 - pg.59) is recommended to minimize mat movement

DIAMOND SOF-TRED® w/DYNA-SHIELD®

- Sales Tip: The only mid-priced/high performance anti-fatigue sponge mat available; durability approaching that of competitive "laminated" mats. Extends service life by 50%.
- Where to Specify: Four top patterns to fit the needs of work stations where longer lasting fatigue protection is required.
- Unlike urethane or acrylic top coats that are applied after the mat is produced, Dyna-Shield® is manufactured into the mat to provide a long-wearing protection to the sponge antifatigue mat - Outperforms competitive products in tear resistance and tensile strength.
- Four designs of Dyna-Shield® sponge mats feature a 1/2 inch thickness.
- All four sides are beveled to minimize trip hazards.





DYNA-SHIELD®







Stock Sizes	2' x 3'	2' x 6'	3' x 4'	3' x 5'	3' x 6'	3' x 12'
List Price: Black or Gray	\$37.56	\$75.12	\$75.12	\$93.90	\$112.68	\$225.36
List Price: Yellow Borders	\$40.08	\$80.16	\$80.16	\$100.20	\$120.24	\$240.48
Weight (lbs.)	6	11	11	14	17	35

Roll Sizes & Custom Sizes	2' x 60'	3' x 60'	4' x 60'	2' Widths	3' Widths	4' Widths
List Price: Black or Gray	\$681.60	\$1022.40	\$1363.20	\$6.54/sq.ft.	\$6.54/sq.ft.	\$6.54/sq.ft.
List Price: Yellow Borders	\$727.20	\$1090.80	\$1454.40	\$6.98/sq.ft.	\$6.98/sq.ft.	\$6.98/sq.ft.
Weight (lbs.)	110	165	220	0.90/sq.ft.	0.90/sq.ft.	0.90/sq.ft.

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459











#413

#406




BLADE RUNNERTM w/DYNA-SHIELD®



BUBBLE SOF-TREDTM w/DYNA-SHIELD®

Black



We Ship


World Wide


#417

PEBBLE STEP SOF-TRED™ w/DYNA-SHIELD®

- Sales Tip: Offers better than average fatigue relief in a mat that outlasts traditional "sponge" matting.
- Where to Specify: Work stations where the need for longer lasting fatigue protection is required.
- Pebble-embossed PVC sponge manufactured with NOTRAX® exclusive Dyna-Shield® protective top layer - Outperforms competitive products in tear resistance and tensile strength.
- Non-directional top surface ensures excellent traction while remaining easy to clean.
- Overall thickness is 3/8 inch.
- All four sides are beveled to minimize trip hazards.









#415 PEBBLE STEP SOF-TRED™

Stock Sizes	21 x 31	2' x 6'	3' x 4'	3' x 5'	3' x 6'	3' x 12'
List Price: Black	\$32.64	\$65.28	\$65.28	\$81.60	\$97.92	\$194.84
List Price: Yellow Borders	\$34.32	\$68.64	\$68.64	\$85.80	\$102.96	\$205.92
Weight (lbs.)	5	10	10	11	14	27
	01 001	01 001	41 001	01 1177 111	O. 110 III	41 100 III

Roll Sizes & Custom Sizes 2' x 60' 2' Widths 31 Widths 4' Widths 3' x 60' 4' x 60' **List Price: Black** \$592.80 \$889.20 \$1185.60 \$5.68/sq.ft. \$5.68/sq.ft. \$5.68/sq.ft. **List Price: Yellow Borders** \$624.00 \$936.00 \$1248.00 \$5.98/sq.ft. \$5.98/sq.ft. \$5.98/sq.ft. Weight (lbs.) 85 130 170 0.90/sq.ft. 0.90/sq.ft. 0.90/sq.ft.

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459





AIRUG®

SOF-TREDTM




#411

- Sales Tip: Recommend the AIRUG® ribbed version for gripping features; SOF-TRED™ version for easy sweeping.
- Where to Specify: Work stations where anti-fatigue matting is needed at a low cost.
- · Basic anti-fatigue protection provided through 2 versions of this Industry standard.
- PVC closed cell foam relieves leg and back discomfort; provides a barrier to cold floors.
- Overall thickness is 3/8 inch (Sof-Tred also available in 9/16")
- All four sides are beveled to minimize trip hazards.









#410	AIRUG®	(ƛ)
Stock S		

Stock Sizes	27" x 3'	27" x 5'	2' x 3'	3' x 5'	3' x 12'			
List Price: #410 3/8" thick	\$29.04	\$48.38	\$25.80	\$64.50	\$154.80			
List Price: #411 3/8" thick	N/A	N/A	\$25.80	\$64.50	\$154.80			
Weight (lbs.)	5	8	5	11	27			
List Price: #411 9/16" thick	N/A	N/A	\$35.16	\$87.90	\$210.96			
Weight (lbs.)	N/A	N/A	7	16	37			
Roll Sizes & Custom Sizes	2' x 60'	3' x 60'	4' x 60'	6' x 60'	2' Widths	3¹ Widths	4' Widths	
List Price: #410 3/8" thick	\$468.00	\$702.00	\$936.00	\$1404.00	\$4.50/sq.ft.	\$4.50/sq.ft.	\$4.50/sq.ft.	
List Price: #411 3/8" thick	\$468.00	\$702.00	\$936.00	N/A	\$4.50/sq.ft.	\$4.50/sq.ft.	\$4.50/sq.ft.	
Weight (lbs.)	85	130	170	275	0.70/sq.ft.	0.70/sq.ft.	0.70/sq.ft.	
List Price: #411 9/16" thick	\$638.40	\$957.60	\$1276.80	N/A	\$6.12/sq.ft.	\$6.12/sq.ft.	\$6.12/sq.ft.	
Weight (lbs.)	125	185	250	N/A	1.00/sq.ft.	1.00/sq.ft.	1.00/sq.ft.	

Shipping Location: Superior Manufacturing Group - Moselle. MS 39459





We Ship

#410 Black / Yellow

NIRU® CUSHION-EASE® GSIITM NEW NIRU® CUSHION-EASE® GSII™ SOLID

- Sales Tip: GSII™ excels in the harshest industrial environments because it resists the chemicals, oils, and greases that cause traditional rubber matting to breakdown.
- Where to Specify: (850) Intended for harsh wet environments where industrial chemicals, oils, and greases are commonly found. (856) should be recommended for industrial applications where exposure to chemicals, oils, and grease is light to moderate.
- GSII™ technology offers the ultimate in durability and performance in the harshest environments
- 100% Nitrile rubber compound provides the highest degree of resistance to chemicals, oils, and greases while Silicon Carbide grit surface provides long lasting traction
- Available in perforated (850), or solid top (856) versions - 850 has a large hole drainage system that facilitates the

removal of liquid and debris from the work area

- 856 offers solid-top construction for additional anti-fatigue relief, and is easy to clean
- Overall thickness is 3/4"
- Modular design is compatible with NoTrax® 551 M.D. Ramp System and can accommodate a variety of custom configurations (see page 22 for more information)



















#850/856 Nir	u® Cushion-	Ease® GSII™/GSII™ Solid
Stock Size	31 x 31	3' x 5'
List Price #850	\$146.90	\$244.82
Weight (lbs.)	24	39
List Price #856	\$146.90	N/A
Weight (lbs.)	24	N/A

Shipping Location: Superior Manufacturing Group - Chicago, IL 60638

#650

#656





NIRU® CUSHION-EASE® NIRU® CUSHION-EASE® SOLID

- Sales Tip: The amount of slip resistance required, and exposure to chemicals, oils, and greases are the key determining factors when choosing between GSII™ or Niru® Cushion-Ease® products
- Where to Specify: (650) Intended for harsh wet environments where industrial chemicals, oils, greases, and animal fats are often found. (656) should be recommended for industrial applications where exposure to chemicals, oils, greases, and animal fats can create slip hazards.
- 100% Nitrile rubber compound provides the highest degree of resistance to chemicals, oils, and greases
- Available in perforated (650), or solid top (656) versions
- 650 has a large hole drainage system that facilitates the removal of liquid and debris from the work area
- 656 offers solid-top construction for additional anti-fatigue relief, and is easy to clean
- Overall thickness is 3/4"
- Modular design is compatible with NoTrax® 551 M.D. Ramp System and can accommodate a variety of custom configurations (see page 22 for more information)





#650/656 Niru® Cushion-Ease® Solid					
Stock Size	31 x 31	3' x 5'			
List Price #650	\$111.20	\$185.34			
Weight (lbs.)	24	39			
List Price #656	\$111.20	N/A			
Weight (lbs.)	24	N/A			

Shipping Location: Superior Manufacturing Group - Chicago, IL 60638












SAFETY STANCE®

- Sales Tip: Borders are a 100% nitrile rubber compound offering the same resistance to oils/chemicals as the mat competitor's products use vinyl borders which can degrade.
- Where to Specify: All heavy Industrial environments and work cells that require worker protection from fatigue, spillage of liquids, heavy cart traffic.
- Resilient rubber compound withstands industrial cutting oils and chemicals.
- · Large hole configuration facilitates drainage and resists clogging while mini-diamond studs on top surface minimize slippage.
- Colored beveled borders are permanently affixed to the mat (unlike competitors' snap-ins that come loose) and are available on 3 or 4 sides.
- Overall mat thickness is 7/8 inch.

















Stock Sizes	26" x 40"	38" x 40"	38" x 64"	38" x 124"
List Price	\$98.70	\$154.80	\$197.30	\$383.90
Weight (lbs.)	23	32	52	100
4-sided borders				
Stock Sizes	28" x 40"	40" x 40"	40" x 64"	40" x 124"
List Price	\$118.40	\$183.10	\$233.30	\$444.10
Weight (lbs.)	24	33	55	105

Shipping Location: Superior Manufacturing Group - Chicago, IL 60638


We Ship

Black / Orange

Black / Green

Black / Yellow






CUSHION-TRED™

- Where to Specify: Any heavy Industrial environment or work cell that needs to offer worker protection from fatigue and spillage of liquids.
- Resilient rubber compound withstands industrial greases, cutting oils and chemicals.
- · Large hole configuration facilitates drainage and resists
- · A nitrile version is also available for use in food processing applications.
- Overall mat thickness is 7/8 inch.
- Note: Mat has squared, not beveled edges.
- Modular design is compatible with NoTrax® 551 M.D. Ramp System and can accommodate a variety of custom configurations (see page 22 for more information)







Shipping Location: Superior Manufacturing Group - Chicago, IL 60638











CUSHION-LOKTM PERFORATED SERIES CUSHION-LOKTM w/ Grip-Step®

- Sales Tip: Factory-assembled custom configurations available - Call Customer Service for more information (800) 621-2802
- Where to Specify: Wet environments where drainage and slip resistance are a priority. PVC construction makes it especially resistant to chemcials found in harsh environments. Where custom configurations are a consideration.
- A tough PVC based workstation mat developed by NOTRAX® over 30 years ago to be a truly Superior mat.
- Hundreds of portholes facilitate drainage while the worker is elevated on a series of traction blades to help resist slippage and keep the worker out of the spillage.
- Six-inch wide diamond-studded beveled ramps are permanently affixed on 3 sides and perforated for drainage.
- Full 7/8 inch thickness.
- Offered in 4 versions to fit the most demanding environments:
- #520 Cushion-Lok™: All the durability as described but with a bottom surface design that affords maximum flex for worker comfort.
- #522 Cushion-Lok™ with Grip-Step®: Same as #520 but with a thick gritted layer applied to the top surface for extremely slippery environments.
- #520 HD Cushion-Lok™ Heavy-Duty: This is the workhorse! All of the above benefits but with a reinforced bottom surface design that repels crushing from extreme weights.
- #522 HD Cushion-Lok™ Heavy-Duty with Grip-Step®: Same as #520HD but with a thick gritted layer applied to the top surface for extremely slippery environments.




Black / Black







Standard Bottom



HD Bottom













Shipping Location: Superior Manufacturing Group - Moselle, MS 39459


CUSHION-LOKTM SOLID-TOP SERIES **CUSHION-LOKTM w/ Grip-Step®**

- Sales Tip: Factory-assembled custom configurations available - Call Customer Service for more information (800) 621-2802
- Where to Specify: Where anti-fatigue and anti-slip is a necessity. PVC construction makes it especially resistant to chemicals found in harsh environments. Where custom configurations are a consideration.
- A sister product to the Cushion-Lok[™] #520 Series. This Series features a solid top/no perforation mat that can be interlocked with the #520 Series or used as a standalone mat.
- The worker is elevated on a series of traction blades that provide sure-footing and comfort.
- Six-inch wide diamond-studded beveled ramps are permanently affixed and perforated for any incidental drainage.
- Full 7/8 inch thickness.
- Offered in 2 versions to fit the most demanding environments:
- #920 HD Cushion-Lok™ Heavy-Duty Solid: Maximum resistance to crushing featuring a reinforced bottom surface and firm support for the worker.
- #922 HD Cushion-Lok™ Heavy-Duty Solid with Grip-Step®: Same as #920HD but with a thick gritted layer applied to the top surface for extremely slippery environments.





HD Bottom







SOLID CUSHION-LOK™ SERIES

Stock Sizes	30" x 36"	30" x 48"	30" x 60"	30" x 72"	30" x 96"	42" x 72"	42" x 96"	42" x 120"
List Price #920HD (Black or Colored Borders)	\$105.30	\$136.30	\$167.40	\$194.60	\$253.00	\$262.70	\$340.90	\$408.40
List Price #922HD (No Grit on Black or Colored Bordrs)	\$138.40	\$179.30	\$219.80	\$255.80	\$332.50	\$344.80	\$447.90	\$536.80
List Price #922HD (Grit-Coated Black Borders)	\$161.60	\$205.40	\$248.90	\$287.70	\$370.60	\$382.60	\$491.70	\$586.50
Weight (lbs.)	23	31	38	46	61	64	86	107

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459






CUSHION-EASE®

- Sales Tip: Easy to make custom configurations on-site by utilizing the patent pending #551 MD Ramp System™. (See page 22 for details).
- Where to Specify: Wet environments where comfort and durability are critical.
- A resilient rubber compound and unique support design offers exceptional fatigue relief. Large hole drainage design keeps moisture and debris free from worker platform.
- Easy to snap together mats on-site for custom work station platforms.
- · Optional nitrile rubber borders available for trip-resistant platform.
- Available in 2 versions: (1) Black mat which is grease resistant and carries a 1-year warranty. (2) Red mat with extra nitrile content is grease-proof and carries a 3-year warranty.
- Overall thickness is 3/4 inch.









#000 000II	IOII LAGE	
Size/Color	3' x 3' - Black	3' x 5' - Black
List Price	\$78.60	\$130.50
Weight (lbs.)	24	39
Size/Color	3' x 3' - Red	3' x 5' - Red
List Price	\$94.70	\$158.10
Weight (lbs.)	24	39

Shipping Location: Superior Manufacturing Group - Chicago, IL 60638





- Sales Tip: Easy to make custom configurations on-site by utilizing the patent pending #551 MD Ramp System™. (See page 22 for details).
- Where to Specify: Dry environments where comfort and durability are critical.
- A sister product to the #550 Cushion-Ease[™], this version also features a resilient rubber compound and unique support design to provide exceptional fatigue relief. Can be locked together on-site with #550.
- Easy to snap together mats on-site for custom work station
- Optional nitrile rubber borders available for trip-resistant platform.
- Available in 2 versions: (1) Black mat which is grease resistant and carries a 1-year warranty. (2) Red mat with extra nitrile content is grease-proof and carries a 3-year warranty.
- Overall thickness is 3/4 inch.

BEST





#556 CUSHION-EASE® SOLID

Size/Color	3' x 3' - Black	3' x 3' - Red
List Price	\$78.60	\$95.00
Weight (lbs.)	24	24

Shipping Location: Superior Manufacturing Group - Chicago, IL 60638











Red

M.D. Ramp System™

- Sales Tip: Works just like a picture frame. Detailed instructions included with product. Mats can be made into any width and/or length required in 1' increments.
- For custom configuration performed on-site the patented #551 MD Ramp System[™] can be purchased seperately. These 100% nitrile rubber ramps fit the male/female locking system of the mat and are available as:
- 2 foot long Male Ramps
- 3 foot long Male Ramps or Female Ramps
- 5 foot long Male Ramps or Female Ramps
- All Ramps lengths are beveled and molded with mitered corners and a protruding tab. The tab locks together the two adjoining ramps for a secure, professional corner. For a square edge, simply cut-off the miter following the cut line on the bottom of the ramp.







#551 M.D. RAMP SYSTEM™

Size	2' Male	3' Male	3' Female	5' Male	5' Female
List Price - Black Ramps	\$9.40	\$13.90	\$13.90	\$23.00	\$23.00
List Price - Colored Ramps	\$11.60	\$17.40	\$17.40	\$28.90	\$28.90
Weight (lbs.)	1.2	1.8	1.6	3.0	3.0
Connectors (Black only))			

Connectors	(Black only)	
Size	1' length	
List Price	\$3.55/ea.	
Weight (lbs.)	.33	

Shipping Location: Superior Manufacturing Group - Chicago, IL 60638

#420

#422



CUSHION-DEKTM CUSHION-DEKTM w/ Grip-Step®

- Sales Tip: Factory-assembled custom configurations available - Call Customer Service for more information (800) 621-2802
- Where to Specify: Harsh environments that require a surface with traction and anti-fatigue properties.
- Tough PVC compound molded with a raised pyramid design to enhance traction.
- Slotted perforations (1/2" wide by 1-7/8" long) allow for moisture to escape worker platform.
- Studded bottom surface raises mat and allows for channeling of moisture and continuous aeration.
- Overall thickness is 7/16 inch.
- Offered in 2 versions:
- #420 Cushion-Dek™: All the durability and features as described.
- #422 Cushion-Dek™ with Grip-Step®: Same as #420 but with a thick gritted layer applied to the top surface for extremely slippery environments.







Black

CUSHION-DEN	ê SERIE	S					
Stock Sizes	21 x 31	2' x 6'	3' x 4'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
List Price #420	\$47.28	\$94.56	\$94.56	\$141.84	\$236.40	\$189.12	\$252.16
Weight (lbs.)	8	15	15	22	36	29	39
List Price #422	\$70.20	\$140.40	\$140.40	\$210.60	\$351.00	\$280.80	\$374.40
Weight (lbs.)	9	18	18	27	45	36	48
Roll Sizes & Cust	om Sizes	2' x 30'	3' x 30'	4' x 30'	2¹ Widths	3¹ Widths	4' Widths
List Price #420		\$472.80	\$709.20	\$945.60	\$9.94/sq.ft.	\$9.94/sq.ft.	\$9.94/sq.ft.
Weight (lbs.)		72	108	156	1.48/sq.ft.	1.48/sq.ft.	1.48/sq.ft.

\$1053.00

134

\$702.00







Shipping Location: Superior Manufacturing Group - Moselle, MS 39459

\$1404.00

178

\$14.74/sq.ft. \$14.74/sq.ft.

1.48/sq.ft.

1.48/sq.ft.

\$14.74/sq.ft.

1.48/sq.ft.

List Price #422

Weight (lbs.)

COMFORT-EZE™

- Sales Tip: Competitive products feature only a flat or hollowed bottom which reduces the comfort of the mat.
- Where to Specify: Dry applications where there is a good deal of pivoting required.
- · Extremely long-lasting rubber compound molded into a superbly comfortable bubble design.
- For maximum comfort, the bubbles are molded on an offset on the top and bottom of the mat to maximize flex and create air flow, all to enhance the ergonomic benefit.
- All 4 sides feature an integral bevel border system.
- Overall thickness is 3/8 inch.











#447 COMFORT-EZE™

Stock Sizes	18" x 24"	24" x 36"	30" x 30"*	30" x 60"	30" x 10"**	30" x 20"**
List Price	\$28.30	\$48.10	\$53.90	\$97.90	\$195.20	\$390.10
Weight (lbs.)	6	10	10	20	40	80

*Beveled edges on 3 sides only **Multiple 30" x 60" mats bonded together

Shipping Location: Superior Manufacturing Group - Chicago, IL 60638



Black

SANITOP®



- Sales Tip: Ideal for one-worker stations. Cannot be extended beyond sizes offered.
- Where to Specify: Wet environments that require basic fatigue relief.
- A durable rubber compound formed with an alternating large and small hole drainage system to keep moisture and debris free from worker platform.
- Raised pattern surround large holes to channel drainage and provide worker traction.
- All 4 sides feature integral beveled ramps to minimize trip hazards.
- Available in 2 versions: (1) Black mat which is grease resistant and carries a 1-year warranty. (2) Red mat with extra nitrile content is grease-proof and carries a 3-year warranty.
- Overall thickness is 1/2 inch.







#562 SANITOP®

Size/Color 3	Y D DIACK	3. X 10. Black	3' x 20'* Black
List Price	\$123.40	\$275.10	\$566.80
Weight (lbs.)	27	54	108

Size/Color 3' x 5' - Red 3' x	t io itou t	3' x 20'* - Red
List Price \$144.80	\$323.00	\$649.50
Weight (lbs.) 27	54	108

*Consists of multiple mats bonded together. One inch of ramp is cut off to bond mats; therefore, overall length is slightly less

Shipping Location: Superior Manufacturing Group - Chicago, IL 60638













DIAMOND TOP INTERLOCKTM

- Sales Tip: Can only make custom lengths, not widths. A perfect mat offered as a "bin" item to industry. Store extra sections on-site so sections damaged by forklift, etc. Can quickly and easily be replaced.
- Where to Specify: Wet or dry environments where long runs of anti-fatigue matting are needed
- · Solid rubber construction formed with a diamond deckplate pattern on top surface.
- A sturdy waffle support system on the underside achieves maximum safety and comfort for the worker.
- Overall thickness is 1/2 inch.
- Available in three versions:
 - As a single work station mat with beveled borders on all 4 sides; or
 - As a mat with interlocking teeth on one end to serve as an "End" mat.
 - As a mat with interlocking teeth on both ends to serve as a "Center" mat.
- Specify Ends, Centers or Singles when ordering.









#545 DIAMOND	TOP INTER	LOCK™
Stock Sizes	28" x 31"	36" x 31"
List Price - Black	\$40.10	\$47.20
Weight (lbs.)	11	15

Specify Ends, Centers or Singles when ordering. Shipping Location: Superior Manufacturing Group - Chicago, IL 60638





#755 #758



#758

#755 NIRU® VERSA RUNNER®

2' x 60'

\$1255.20

\$1380.00

180

2' Widths

\$11.52/sq.ft.

\$12.66/sq.ft.

1.5/sq.ft.

2' x 60'

\$984.00

150

2' Widths

\$9.02/sq.ft.

1.25/sq.ft.

#758 NIRU® KNOB-TOP RUNNER®

3' x 60'

\$1882.80

\$2070.00

270

3' Widths

\$11.52/sq.ft.

\$12.66/sq.ft.

1.5/sq.ft.

31 x 601

\$1476.00

225

3' Widths

\$9.02/sq.ft.

1.25/sq.ft.

4' x 60'

\$2510.40

\$2760.00

360

4' Widths

\$11.52/sq.ft.

\$12.66/sq.ft.

1.5/sq.ft.

4' x 60'

\$1968.00

300

4' Widths

\$9.02/sq.ft.

1.25/sq.ft.

NIRU® VERSA RUNNER® NIRU® KNOB-TOP RUNNER®

- Sales Tip: Ideal for long runs where low profile mats are needed for cart traffic
- Where to Specify: Wet or dry environments that require high traction and drainage capability.
- Both mats are made of a durable grease-proof construction featuring 100% nitrile compounding in a continuous long length.
- #755 VERSA RUNNER® is 3/8 inch thick with slotted perforations for drainage.
- Ribbed underside enhances anti-fatigue value and channels liquid away from the mat.
- #758 KNOB-TOP RUNNER® is 1/4 inch thick, has a solid top surface and allows for cart traffic to easily pass over the mat.













Shipping Location: Superior Manufacturing Group - Chicago, IL 60638

Shipping Location Superior Manufacturing Group - Chicago, IL 60638

We Ship

Roll Sizes

List Price

List Price

Roll Sizes

List Price

List Price

Weight (lbs.)

Custom Sizes

Weight (lbs.)

List Price White

List Price White

Weight (lbs.)

Custom Sizes

Weight (lbs.)

V-GROOVE CORRUGATED RUNNERS™

- Sales Tip: Recommend rubber version (#750) for applications that require a little more traction. Can be used as a liner for maintenance and tool carts.
- Where to Specify: Applications where safety and slip protection is needed with minimal anti-fatigue value such as aisle ways, warehouses, vending areas. Low profile matting allows for easy on/off cart traffic.
- Corrugated rib-tooth design improves traction, creates a barrier to cold flooring substrates, and creates a silencing effect over noisy tile.
- Overall thickness is 1/8 inch.
- The #730 V-Groove Corrugated utilizes a vinyl compound.
- The #750 V-Groove Corrugated utilizes a rubber compound.















Roll Sizes & Cust	om Sizes	2' x 105'	3' x 105'	4' x 105'	2' Widths	3' Widths	4' Widths
List Price #730		\$495.60	\$743.40	\$991.20	\$2.60/sq.ft.	\$2.60/sq.ft.	\$2.60/sq.ft.
Weight (lbs.)		147	221	294	.70/sq.ft.	.70/sq.ft.	.70/sq.ft.
Roll Sizes	2' x 150'	3' x 150'	4' x 150'	2' x 75'	3' x 75'	4' x 75'	6' x 75'
List Price #750	\$1008.00	\$1512.00	\$2016.00	\$504.00	\$756.00	\$1008.00	\$1917.00
Weight (lbs.)	240	350	480	120	175	240	360
Custom Sizes	2' Widths	3' Widths	4' Widths	6' Widths			
List Price #750	\$3.70/sq.ft.	\$3.70/sq.ft.	\$3.70/sq.ft.	\$4.70/sq.ft.			
Weight (lbs.)	.80/sq.ft.	.80/sq.ft.	.80/sq.ft.	.80/sq.ft.			

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459





GOODYEAR | Call Toll Free: 1-866-711-4673

We Ship



#737

#735 Detail

ROUND RIB RUNNERTM

DIAMOND PLATE RUNNER

- Sales Tip: The diamond plate top surface provides additional traction, while the rib design allows for easy clean-up.
- Where to Specify: Applications where safety and slip protection is needed with minimal anti-fatigue value such as aisle ways, warehouses, vending areas. Low profile matting allows for easy on/off cart traffic
- The wider spaced rounded rib design of this vinyl runner affords easy clean-up while providing sure footing and floor protection. (#735)
- A durable vinyl construction formed into a rugged diamond top pattern for non-directional anti-slip protection. (#737)
- Overall thickness: (#735) 1/8 inch
- Overall thickness: (#737) 5/32 inch





# 70 E	0	4707	RUNNERS
# / Kh	ж.	H / < /	KIINNEK

Roll Sizes & Custom Sizes	2' x 105'	3' x 105'	4' x 105'	2' Widths	3' Widths	4' Widths
List Price #735	\$474.60	\$711.90	\$949.20	\$2.50/sq.ft.	\$2.50/sq.ft.	\$2.50/sq.ft.
Weight (lbs.)	145	230	270	.70/sq.ft.	.70/sq.ft.	.70/sq.ft.
Roll Sizes & Custom Sizes	2' x 75'	3' x 75'	4' x 75'	2' Widths	3' Widths	4' Widths
List Price: #737 Black or Gray	\$648.00	\$972.00	\$1296.00	\$4.76/sq.ft.	\$4.76/sq.ft.	\$4.76/sq.ft.
List Price: #737 Colored Borders	\$921.00	\$1381.50	\$1842.00	\$6.76/sq.ft.	\$6.76/sq.ft.	\$6.76/sq.ft.
Weight (lbs.)	135	200	267	.90/sq.ft.	.90/sq.ft.	.90/sq.ft.

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459





OPERATM

- Sales Tip: If an entrance is not large enough to accommodate OPERA™, recommend one or more sections as individual mats. (See pages 31, 32 & 33).
- Where to Specify: All large, upscale entrances: offices, hotels, professional buildings.
- A NOTRAX[®] exclusive: the first of its kind 3 mat system in one beautiful mat design.
- The first 3 to 4 feet of the mat (depending on length of mat) features a looped non-absorbent yarn to scrape debris and moisture from foot traffic.
- The second 3 to 4 feet of the mat combines the looped scraper yarns with absorbent Decalon® looped pile to begin the drying function.
- The final 3 to 4 feet of the mat is pure Decalon® looped pile to complete the drying function.
- All yarns are color-coordinated to combine beauty with functionality.
- A dense combination of yarns ensure maximum performance.
- Overall thickness is 3/8 inch.
- · A heavyweight vinyl non-slip backing ensures minimum movement.
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.



Weight (lbs.)








6' X 12' \$345.60


#137 OPE	RA TM					
Stock Sizes	3' x 10'	3' x 12'	4' X 10'	4' X 12'	6' X 10'	
List Price	\$144.00	\$172.80	\$192.00	\$230.40	\$288.00	

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701

Burgundy	Brown	Hunter Green	Charcoal Black	Gray	Blue
THE REAL PROPERTY.	September 1980	AND DESCRIPTION OF THE PARTY OF	THE STREET		and the second



- Sales Tip: Color-coordinated to OPERA™ (page 30) or other component mats (pages 32-33).
- Where to Specify: All large, upscale entrances: offices, hotels, professional buildings
- Another NOTRAX® exclusive: a combination scraping and drying mat that marries together looped scraper yarns and Decalon® looped pile absorbent yarns.
- The wide performance strip design runs the width of the mat to scrape against traffic as it passes over.
- All yarns are color-coordinated to combine beauty with functionality.
- This mat is the center section of the OPERA™ mat.
- Overall thickness is 3/8 inch.
- A heavyweight vinyl non-slip backing ensures minimum movement.





Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	4' x 6'	4' x 8'
List Price	\$35.04	\$70.08	\$87.60	\$105.12	\$140.16	\$186.88
Weight (lbs.)	7	13	16	17	24	32







- Sales Tip: A total of 15 ft of matting is recommended to prevent 85% of moisture and debris from entering the building.
- Where to Specify: Outdoor Main entranceways, all heavy traffic areas.
- A coarse loop-twisted non-absorbent fiber to scrape heavy debris from foot traffic.
- · Aggressive fibers resist crushing while entrapping debris and preventing it from entering the facility.
- This mat is the first section of the OPERA™ mat.
- A heavyweight vinyl non-slip backing ensures minimum movement.
- Can be used as a stand-alone mat, or as the first section (Scraping) of the "Stages" entrance matting system
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments. (When used as part of the "Stages" system)









#146

ENCORETM

PRELUDETM

- Sales Tip: The Encore™ mat construction is 80% Decalon® drying yarn & 20% Prelude™ scraping yarn. The Intermission™ mat (pg 31) is 50% Decalon® drying yarn & 50% Prelude™ varn.
- Where to Specify: Inside foyer area Main entranceways, all heavy traffic areas.
- A combination of Prelude[™] scraping and looped pile Decalon® drying yarns in a linear pattern.
- Can be used alternatively to the Intermission™ mat.
- · A heavyweight vinyl non-slip backing ensures minimum movement.
- Can be used as a stand-alone mat, or as the second section (Scraping & Drying) of the "Stages" entrance matting system
- · Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments. (When used as part of the "Stages" system)





OVATIONTM


- Sales Tip: Color coordinated with Prelude™ #231, and Encore™ #146, to provide a complete entrance matting solution.
- Where to Specify: Indoor Main entranceways, all heavy traffic areas.
- Generously tufted Decalon® looped pile construction that serves as the finishing, drying and cleaning mat in the coordinated series.
- This mat is the third section of the OPERA™ mat.
- · A heavyweight vinyl non-slip backing ensures minimum movement.
- Can be used as a stand-alone mat, or as the third section (Drying) of the "Stages" entrance matting system
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments. (When used as part of the "Stages" system)







Black



List Price \$28.92 \$57.84 \$72.30 \$86.76 \$144.60 \$115.68 \$154. Weight (lbs.) 5 10 12 14 23 19 25 Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths) Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Widts Price \$867.60 \$1156.80 \$1735.20 \$5.54/sq.ft. \$5.54/sq.ft. \$5.54/sq.ft. \$5.54/sq.ft. \$86/sq.ft. \$86/sq.ft. \$86/sq.ft. \$80/sq.ft.	#231 PKELU	NF						
Weight (lbs.) 5	Stock Sizes	2' x 3'	3' x 4'	3' x 5'	31 x 61	3' x 10'	4' x 6'	4' x 8'
Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths) Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Wid List Price \$867.60 \$1156.80 \$1735.20 \$5.54/sq.ft. \$5.54/sq.ft. \$5.54/sq.ft. \$5.54/sq.ft. \$6.54/sq.ft. \$6.54/sq.ft. \$8.54/sq.ft. \$8.64/sq. \$	List Price	\$28.92	\$57.84	\$72.30	\$86.76	\$144.60	\$115.68	\$154.24
Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Widts Frice \$867.60 \$1156.80 \$1735.20 \$5.54/sq.ft. \$5.54/sq.ft. \$5.54/sq.ft. \$5.54/sq.ft. \$5.54/sq.ft. \$5.54/sq.ft. \$5.54/sq.ft. \$6' Vide	Weight (lbs.)	5	10	12	14	23	19	25
List Price \$867.60 \$1156.80 \$1735.20 \$5.54/sq.ft. \$5.54/sq.ft. \$5.54/sq.ft. \$5.54/sq.ft. \$5.54/sq.ft. \$6.74/sq.ft. \$5.54/sq.ft. \$5.54/sq.ft. \$6.74/sq.ft. \$6.74/s	Full Roll & Custo	m Lengths (To	lerance of -0 /	+3" on Custor	n Lengths)			
Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701	Roll Sizes & Cus	tom Sizes	3' x 60'	4' x 60'	6' x 60'	31 Widths	4' Widths	6' Widths
#146 ENCORE™ #147	List Price		\$867.60	\$1156.80	\$1735.20	\$5.54/sq.ft.	\$5.54/sq.ft.	\$5.54/sq.ft.
#146 ENCORE™ Stock Sizes 2' x 3' 3' x 4' 3' x 5' 3' x 6' 3' x 10' 4' x 6' 4' x 125	Weight (lbs.)		144	192	288	.80/sq.ft.	.80/sq.ft.	.80/sq.ft.
Stock Sizes 2' x 3' 3' x 4' 3' x 5' 3' x 6' 3' x 10' 4' x 6' 1' x 6' 4' x 6' 6' x 60' 3' Widths 4' Widths 6' X 6' 3' x 10' 4' x 6'			Shipping Location	: Superior Manufac	turing Group - Calh	oun, GA 30701		
List Price \$35.04 \$70.08 \$87.60 \$105.12 \$175.20 \$140.16 \$186. Weight (lbs.) 5 11 14 15 24 19 25 Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths) Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Wid List Price \$1051.20 \$1401.60 \$2102.40 \$6.72/sq.ft. \$6.72/sq.ft. \$6.72/sq.ft. \$6.72/sq.ft. \$6.72/sq.ft. \$85/sq.ft. \$85/sq.ft. \$85/sq.ft. \$85/sq.ft. \$85/sq.ft. \$85/sq.ft. \$85/sq.ft. \$85/sq.ft. \$85/sq.ft. \$1051.20 \$1401.60 \$100.00 \$	#146 ENCOR	Етм						
Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths) Roll & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Widths 4' Widths 6' Widths 4' Widths 6' Widths 4' Widths 6' Widths	Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths) Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Wid List Price \$1051.20 \$1401.60 \$2102.40 \$6.72/sq.ft. \$6.72/sq.ft. \$6.72/sq Weight (Ibs.) 155 205 310 .85/sq.ft85/sq.ft85/sq Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701 #141 OVATION** Stock Sizes 2' x 3' 3' x 4' 3' x 5' 3' x 6' 3' x 10' 4' x 6' 4' x 6' List Price \$32.28 \$64.56 \$80.70 \$96.84 \$161.40 \$129.12 \$172. Weight (Ibs.) 5 11 13 15 24 19 25 Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths) Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Widths Price \$968.40 \$1291.20 \$1936.80 \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft.	List Price	\$35.04	\$70.08	\$87.60	\$105.12	\$175.20	\$140.16	\$186.88
Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6'	Weight (lbs.)	5	11	14	15	24	19	25
List Price \$1051.20 \$1401.60 \$2102.40 \$6.72/sq.ft. \$6.72/	Full Roll & Custo	m Lengths (To	lerance of -0 /	+3" on Custor	n Lengths)			
#141 OVATIONTM Stock Sizes 2' x 3' 3' x 4' 3' x 5' 3' x 6' 3' x 10' 4' x 6' 4' x 6' List Price \$32.28 \$64.56 \$80.70 \$96.84 \$161.40 \$129.12 \$172. Weight (lbs.) 5 11 13 15 24 19 25 Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths) Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Widtlest Price \$968.40 \$1291.20 \$1936.80 \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft.	Roll Sizes & Cus	tom Sizes	3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths
#141 OVATION TM Stock Sizes 2' x 3' 3' x 4' 3' x 5' 3' x 6' 3' x 10' 4' x 6' 4' x 6' List Price \$32.28 \$64.56 \$80.70 \$96.84 \$161.40 \$129.12 \$172. Weight (lbs.) 5 11 13 15 24 19 25 Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths) Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Widtlist Price \$968.40 \$1291.20 \$1936.80 \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft.	List Price		\$1051.20	\$1401.60	\$2102.40	\$6.72/sq.ft.	\$6.72/sq.ft.	\$6.72/sq.ft
#141 OVATIONTM Stock Sizes 2' x 3' 3' x 4' 3' x 5' 3' x 6' 3' x 10' 4' x 6' 4' x 6' List Price \$32.28 \$64.56 \$80.70 \$96.84 \$161.40 \$129.12 \$172. Weight (lbs.) 5 11 13 15 24 19 25 Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths) Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Widths 1291.20 \$1936.80 \$6.20/sq.ft. \$6.20/sq.ft.	Weight (lbs.)		155	205	310	.85/sq.ft.	.85/sq.ft.	.85/sq.ft.
Stock Sizes 2' x 3' 3' x 4' 3' x 5' 3' x 6' 3' x 10' 4' x 6' 4' x 6' 4' x 7' List Price \$32.28 \$64.56 \$80.70 \$96.84 \$161.40 \$129.12 \$172. Weight (lbs.) 5 11 13 15 24 19 25 Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths) Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Widths List Price \$968.40 \$1291.20 \$1936.80 \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft.			Shipping Location	: Superior Manufac	turing Group - Calh	oun, GA 30701		
List Price \$32.28 \$64.56 \$80.70 \$96.84 \$161.40 \$129.12 \$172. Weight (lbs.) 5 11 13 15 24 19 25 Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths) Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Widths List Price \$968.40 \$1291.20 \$1936.80 \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft.	#141 OVATIO	NTM						
Weight (lbs.) 5 11 13 15 24 19 25 Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths) Roll Sizes & Custom Sizes 3' x 60" 4' x 60" 6' x 60" 3' Widths 4' Widths 6' Widths List Price \$968.40 \$1291.20 \$1936.80 \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft.	Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths) Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Wid List Price \$968.40 \$1291.20 \$1936.80 \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft.	List Price	\$32.28	\$64.56	\$80.70	\$96.84	\$161.40	\$129.12	\$172.16
Roll Sizes & Custom Sizes 3' x 60' 4' x 60' 6' x 60' 3' Widths 4' Widths 6' Wid List Price \$968.40 \$1291.20 \$1936.80 \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/sq.ft.	Weight (lbs.)	5	11	13	15	24	19	25
List Price \$968.40 \$1291.20 \$1936.80 \$6.20/sq.ft. \$6.20/sq.ft. \$6.20/s	Full Roll & Custo	m Lengths (To	lerance of -0 /	+3" on Custor	n Lengths)			
	Roll Sizes & Cus	tom Sizes	3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths
Weight (lbs.) 155 205 310 .85/sq.ft85/sq.ft85/sq.ft.	List Price		\$968.40	\$1291.20	\$1936.80	\$6.20/sq.ft.	\$6.20/sq.ft.	\$6.20/sq.ft
	Weight (lbs.)		155	205	310	.85/sq.ft.	.85/sq.ft.	.85/sq.ft.
Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701			Shipping Location	: Superior Manufac	turing Group - Calh	oun, GA 30701		


UPTOWNTM



- Sales Tip: Colors correspond with Boulevard (#139) to be used together as an upscale scrape & dry entrance matting system.
- Where to Specify: All large, upscale entrances: offices, hotels, professional buildings.
- The high-low looped pile design provides functionality for drying and retaining moisture and debris, while offering an upscale, elegant look.
- A dense 40 ounces of tufted Decalon[®] yarn per square yard for the ultimate in moisture absorption and crush resistance
- 3/8 inch overall thickness stands up to the heaviest traffic
- A heavyweight vinyl backing available in corresponding colors ensures minimum movement while enhancing the aesthetic appeal of the mat
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.











#138 UPT(OWN TM						
Stock Sizes	21 x 31	3' x 4'	3' x 5'	3' x 6'	31 x 101	41 x 61	4' x 8'
List Price	\$35.04	\$70.08	\$87.60	\$105.12	\$175.20	\$140.16	\$186.88
Weight (lbs.)	5	10	13	16	26	21	28
Full Rolls & C	ustom Leng	gths (tolerand	e of -0/+3" or	n custom length	s)		
	3' x 60'	4' x 60'	6' x 60'	3' widths	4' widths	6' wid	ths
List Price	\$1051.20	\$1401.60	\$2102.40	\$6.72/sq.ft.	\$6.72/sq.ft	:. \$6.72/s	q.ft.
Weight (lbs.)	157	209	313	.87/sq.ft.	.87/sq.ft.	.87/sq.	ft.
	Chinn	ing Location. C	unariar Manufa	aturing Craum (Calhaum CA 207	04	
	Silibb	my Location: 5	upenoi Manuia	cturing Group - (Janioun, GA 307	UI	

Navy Charcoal Red / Black **Hunter Green** Burgundy




- Sales Tip: The wave pattern runs across the mat and against foot traffic ensuring that shoes come in contact with both drying and scraping yarns.
- Where to Specify: All large, upscale entrances with heavy traffic: offices, hotels, professional buildings.
- A unique high-low wave design of alternating Decalon® drying yarn and Decalon® yarn wrapped with tough monofilament for ultra-aggressive scraping
- A dense 40 ounces of tufted yarn per square yard
- 3/8 inch overall thickness stands up to the heaviest traffic
- · A heavyweight vinyl backing available in corresponding colors ensures minimum movement while enhancing the aesthetic appeal of the mat
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.













ORIENTRAXTM



- Sales Tip: Indoor use in medium to heavy foot traffic areas
- Where to Specify: All large, upscale entrances, reception areas: offices, hotels, professional buildings.
- Combines the classic look of an upscale rug with the function and durability of a high performance entrance mat.
- 24 ounces of twisted nylon fiber per square yard provides superb moisture absorption and retention
- A heavyweight non-slip backing ensures minimum movement.
- · Vibrant color designs that won't fade
- 3/8 inch overall thickness

















- Sales Tip: A combination of 4 deniers of yarn make this an extremely long-lasting mat.
- Where to Specify: Indoor Main entranceways; any and all heavy traffic areas.
- A full 38 ounces of needle-punched yarn per square yard provides the highest degree of crush resistance
- 3/8 inch overall thickness makes this heavy-duty mat a long-wearing barrier at the busiest entrances.
- A heavyweight vinyl non-slip backing ensures minimum movement.





#118 ARROW	TRAX TM						
Stock Sizes	2' x 3'	3' x 4'	3' x 5'	31 x 61	3' x 10'	4' x 6'	4' x 8'
List Price	\$41.52	\$83.04	\$103.80	\$124.56	\$207.60	\$166.08	\$221.44
Weight (lbs.)	6	11	14	17	28	22	29
Full Roll & Custor	n Lengths (To	lerance of -0 /	+3" on Custor	n Lengths)			
Roll Sizes & Custo	om Sizes	3' x 60'	4' x 60'	6' x 60'	31 Widths	4' Widths	6' Widths
List Price		\$1245.60	\$1660.80	\$2491.20	\$7.96/sq.ft.	\$7.96/sq.ft.	\$7.96/sq.ft.
Weight (lbs.)		170	226	340	.94/sq.ft.	.94/sq.ft.	.94/sq.ft.





ESTES®

- Sales Tip: The high-low looped design also serves the purpose of trapping and hiding dirt.
- Where to Specify: Indoor Main entranceways; any and all heavy traffic areas.
- Fashionable high-low looped pile Decalon® captures debris and dries foot traffic while maintaining its attractive appearance.
- A dense 33 ounces of tufted yarn per square yard.
- 3/8 inch overall thickness stands up to the toughest
- A heavyweight vinyl non-slip backing ensures minimum movement.
- Colors coordinate with #139 Boulevard[™] for an upscale entrance matting system
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.









#132 ESTES®							
Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
List Price	\$41.52	\$83.04	\$103.80	\$124.56	\$207.60	\$166.08	\$221.44
Weight (lbs.)	6	11	14	17	28	22	29
Full Roll & Custon	m Lengths (To	lerance of -0 /	+3" on Custor	n Lengths)			
Roll Sizes & Cust	om Sizes	3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths
List Price		\$1245.60	\$1660.80	\$2491.20	\$7.96/sq.ft.	\$7.96/sq.ft.	\$7.96/sq.ft.
Weight (lbs.)		170	226	340	.94/sq.ft.	.94/sq.ft.	.94/sq.ft.





PREFERENCE®

- Sales Tip: Color combinations are a fashionable blend of light and dark colors to camouflage debris.
- Where to Specify: Inside foyer area Main entranceways, all heavy traffic areas.
- A combination of Prelude[™] scraping and looped pile Decalon[®] drying yarns in a mini-checked pattern.
- Can be used alternatively to the Intermission™ mat.
- Vinyl borders are color-coordinated to match the yarn colors of each mat.
- This dual-fiber, mini-checked pattern effectively traps debris and moisture while retaining its contemporary appearance.







#145 PREFEI	RENCE®						
Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
List Price	\$42.72	\$85.44	\$106.80	\$128.16	\$213.60	\$170.88	\$227.84
Weight (lbs.)	6	11	14	17	28	22	29
Full Roll & Custo	m Lengths (To	lerance of -0 /	+3" on Custor	n Lengths)			
Roll Sizes & Cust	om Sizes	3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths
List Price		\$1281.60	\$1708.80	\$2563.20	\$8.20/sq.ft.	\$8.20/sq.ft.	\$8.20/sq.ft.
Weight (lbs.)		156.6	208.8	313.2	.87/sq.ft.	.87/sq.ft.	.87/sq.ft.






AQUA TRAP®

- Sales Tip: Recommended in upscale environments as the carpet-to-the-edge conceals obtrusive rubber borders.
- Where to Specify: Indoor Main entranceways; any and all heavy traffic areas.
- Molded bubble pattern facilitates scraping and drying, retaining moisture and debris within its patented / invisible Aqua Dam™ border.
- Extremely durable, yet highly fashionable look featuring carpet-to-the-edge to blend with its surroundings.
- Anti-Microbial carpet treatment to stop bacteria and germs at the entrance
- 26 ounces of tufted yarn per square yard for increased moisture retention
- 3/8 inch overall thickness.
- Rubber underside features a cleat design which resists mat slippage.
- Available in continuous lengths up to 60 feet
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.









#150 AQUA TRAP® Custom Lengths (Tolerance of -0 / +3'												
Stock Sizes	21 x 31	3' x 4'	3' x 5'	3' x 10'	4' x 6'	4' x 10'	3' Widths	4' Widths				
List Price	\$44.40	\$88.80	\$111.00	\$222.00	\$177.60	\$296.00	8.51/sq.ft.	8.51/sq.ft.				
Weight (lbs.)	7	14	17	35	26	47	1.1/sg.ft.	1.1/sg.ft.				

Shipping Location: Superior Manufacturing Group - Chicago, IL 60638

Burgundy Brown Gray Red / Black








- Sales Tip: Recommended in upscale environments as the carpet-to-the-edge conceals obtrusive rubber borders. Barrier Rib should be placed so that traffic passes across ridges for maximum benefit.
- Where to Specify: Indoor Main entranceways; any and all heavy traffic areas.
- Molded dual-ridge cross-rib pattern (A NoTRAX® exclusive) facilitates scraping and drying, retaining moisture and debris within its patented / invisible Aqua Dam™ border.
- Extremely durable, yet highly fashionable look featuring carpet-to-the-edge to blend with its surroundings.
- Anti-Microbial carpet treatment to stop bacteria and germs at the entrance
- · 26 ounces of tufted yarn per square yard for increased moisture retention
- 3/8 inch overall thickness.
- · Rubber underside features a cleat design which resists mat
- Available in continuous lengths up to 60 feet.
- · Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.













GUZZLERTM



- Sales Tip: Part of the AquaTRU™ family, Guzzler™ offers true size options for a better value
- Where to Specify: The non-directional pattern design is perfect for entranceways, lobbies, and other indoor medium to high traffic areas.
- Raised waffle pattern facilitates the scraping process while the channel design retains moisture and debris
- Raised rubber border on all 4 sides acts as a containment barrier that traps moisture and debris
- Molded rubber cleats on the underside of the mat grip underlying surfaces and minimize mat movement
- 26 ounces of tufted yarn per square yard for increased moisture retention, and easier cleaning
- 1/4" pile height to perform in narrow clearance doorways
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.

#167

PORTRAITTM



- Sales Tip: Part of the AquaTRU™ family, Portrait™ offers true size options for a better value
- Where to Specify: The non-directional pattern design is perfect for entranceways, lobbies, and other indoor medium to high traffic areas.
- Raised parquet pattern facilitates the scraping process while the channel design retains moisture and debris
- Raised rubber border on all 4 sides acts as a containment barrier that traps moisture and debris
- · Molded rubber cleats on the underside of the mat grip underlying surfaces and minimize mat movement
- 26 ounces of tufted yarn per square yard for increased moisture retention, and easier cleaning
- 1/4" pile height to perform in narrow clearance doorways
- · Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.

#168

OPUSTM



- Sales Tip: Part of the AquaTRU™ family, Opus™ offers true size options for a better value
- Where to Specify: The pattern design is intended for areas where foot traffic is random and non-directional
- Raised diamond pattern facilitates the scraping process while the channel design retains moisture and debris
- · Raised rubber border on all 4 sides acts as a containment barrier that traps moisture and debris
- Molded rubber cleats on the underside of the mat grip underlying surfaces and minimize mat movement
- 32 ounces of tufted yarn per square yard for increased moisture retention, and easier cleaning
- 3/8" pile height to perform in narrow clearance doorways
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.













#166 GUZZLER™

Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 10'	4' x 6'	4' x 10'
Actual Size	24" x 36"	36" x 48"	36" x 60"	36" x 120"	46" x 72"	46" x 120"
List Price	\$32.52	\$65.04	\$81.30	\$185.40	\$130.08	\$247.20
Weight (lbs.)	4	8	10	20	16	27

Shipping Location: Superior Manufacturing Group - Chicago, IL 60638







#167 PORTRAIT™

Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 10'	4' x 6'	4' x 10'
Actual Size	25" x 36"	36" x 47"	36" x 60"	36" x 120"	46" x 72"	46" x 120"
List Price	\$36.96	\$73.92	\$92.40	\$211.20	\$147.84	\$281.60
Weight (lbs.)	5	10	12	22	19	30

Shipping Location: Superior Manufacturing Group - Chicago, IL 60638







#168 OPUSTM

Stock Sizes	21 x 31	3' x 4'	3' x 5'	3' x 10'	4' x 6'	4' x 10'
Actual Size	24" x 36"	36" x 48"	36" x 60"	36" x 120"	46" x 72"	46" x 120"
List Price	\$38.40	\$76.80	\$96.00	\$219.60	\$153.60	\$292.80
Weight (lbs.)	6.4	12.8	16	32	29	48.33

CHEVRON

- Sales Tip: This mat has more carpet per square yard than most look-alike competitive products.
- Where to Specify: Indoor Entranceways; Lobbies; all medium traffic areas
- Popular chevron carpet design is attractive and functional as it scrapes debris from shoes regardless of traffic flow.
- 24 ounces of needle-punched yarn per square yard.
- Overall thickness of 5/16 inch to perform in narrow clearance doorways.
- · Vinyl backing helps reduce mat movement.







#105 CHEVR	DN						
Stock Sizes	21 x 31	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
List Price	\$27.96	\$55.92	\$69.90	\$83.88	\$139.80	\$111.84	\$149.12
Weight (lbs.)	6	11	13	15	24	19	27
Full Roll & Custo	m Lengths (To	lerance of -0 /	+3" on Custon	n Lengths)			
Roll Sizes & Cust	om Sizes	3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths
List Price		\$838.80	\$1118.40	\$1677.60	\$5.36/sq.ft.	\$5.36/sq.ft.	\$5.36/sq.ft.
Weight (lbs.)		150	200	300	.83/sq.ft.	.83/sa.ft.	.83/sq.ft.






GOODYEAR | Call Toll Free: 1-866-711-4673 We Ship

HERITAGE RIB®

- Sales Tip: Heritage Rib® has 33% more carpet than many competitors' "best" Rib mats. • Where to Specify: Indoor - Entranceways; Lobbies; all medium traffic areas.
- A heavier-weight double rib high / low design that performs the scraping function of the mat (Note: ribs run length of mat).
- 24 ounces of needle-punched yarn per square yard.
- Overall thickness of 3/8 inch to perform in narrow clearance doorways.
- · Vinyl backing helps reduce mat movement.







#117 HERITA	GE RIB®						
Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
List Price	\$26.04	\$52.08	\$65.10	\$78.12	\$130.20	\$104.16	\$138.88
Weight (lbs.)	6	11	13	15	25	20	26
Full Roll & Custo	m Lengths (To	lerance of -0 /	+3" on Custor	n Lengths)			
Roll Sizes & Cust	tom Sizes	31 x 601	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths
List Price		\$781.20	\$1041.60	\$1562.40	\$5.00/sq.ft.	\$5.00/sq.ft.	\$5.00/sq.ft.
Weight (lbs.)		155	205	310	.85/sq.ft.	.85/sq.ft.	.85/sq.ft.
		Shipping Location	n: Superior Manufac	turing Group - Calh	oun, GA 30701		






DANTETM DECALON®

- Sales Tip: Dante™ has 33% more carpet than many competitors' "best" Olefin mats.
- Where to Specify: Indoor Entranceways, Lobbies, all medium traffic areas.
- A densely tufted cut-pile Decalon[®] construction that is a step above the look-alikes and provides much greater moisture
- 24 ounces of tufted yarn per square yard.
- Overall thickness of 3/8 inch to perform in narrow clearance
- · Vinyl backing helps reduce mat movement.








Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	31 x 101	4' x 6'	4' x 8'
List Price	\$27.96	\$55.92	\$69.90	\$83.88	\$139.80	\$111.84	\$149.12
Weight (lbs.)	5	11	13	16	24	20	25
Full Roll & Custo	m Lengths (To	lerance of -0 /	+3" on Custor	n Lengths)			
Roll Sizes & Cust	tom Sizes	3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths
List Price		\$838.80	\$1118.40	\$1677.60	\$5.36/sq.ft.	\$5.36/sq.ft.	\$5.36/sq.ft.
Weight (lbs.)		151	202	302	.84/sq.ft.	.84/sq.ft.	.84/sq.ft.





GOODYEAR | Call Toll Free: 1-866-711-4673 We Ship



- Sales Tip: A European look suitable for a more modern décor.
- Where to Specify: Indoor Entranceways, Lobbies, all medium traffic areas.
- A very tightly nibbed loop that entraps debris and hides it for an always elegant appearance.
- 24 ounces of needle-punched yarn per square yard.
- Overall thickness of 1/4 inch to perform in narrow clearance doorways.
- · Vinyl backing in corresponding colors helps reduce mat movement.





#136 POLYN	IB [®]						
Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
List Price	\$27.96	\$55.92	\$69.90	\$83.88	\$139.80	\$111.84	\$149.12
Weight (lbs.)	5	10	12	13	24	20	26
Full Roll & Custo	m Lengths (To	lerance of -0 /	+3" on Custor	n Lengths)			
Roll Sizes & Cus	tom Sizes	3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths
List Price		\$838.80	\$1118.40	\$1677.60	\$5.36/sq.ft.	\$5.36/sq.ft.	\$5.36/sq.ft.
Weight (lbs.)		144	192	288	.80/sq.ft.	.80/sq.ft.	.80/sq.ft.
Height (lbs.)		144	132	200	.00/34.11.	.00/34.11.	.00/34.11.







BRUSH STEP®


- Sales Tip: Brush Step® is comparable to most competitors' "best" Rib mat.
- Where to Specify: Indoor Entranceways, Lobbies, all light to medium traffic areas
- A lighter-weight double rib high / low design that performs the scraping function of the mat (Note: ribs run length of mat).
- 19 ounces of needle-punched yarn per square yard.
- Overall thickness of 3/8 inch to perform in narrow clearance doorways.
- · Vinyl backing helps reduce mat movement.







#109 BRUSH	21FL.						
Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
List Price	\$23.40	\$46.80	\$58.50	\$70.20	\$117.00	\$93.60	\$124.80
Weight (lbs.)	5	10	11	14	21	19	23
Full Roll & Custo	m Lengths (To	lerance of -0 /	+3" on Custo	n Lengths)			
Roll Sizes & Cust	tom Sizes	3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths
List Price		\$702.00	\$936.00	\$1404.00	\$4.50/sq.ft.	\$4.50/sq.ft.	\$4.50/sq.ft
Weight (lbs.)		139	185	278	.77/sq.ft.	.77/sq.ft.	.77/sq.ft.






GOODYEAR | Call Toll Free: 1-866-711-4673

SABRETM DECALON®

- Sales Tip: Sabre™ Decalon® is comparable to most competitors' "best" Olefin mat.
- Where to Specify: Indoor Entranceways, Lobbies, all light to medium traffic areas.
- 19 ounces of tufted cut-pile Decalon® per square yard for a step above the commodity entrance mat.
- Overall thickness of 5/16 inch to perform in narrow clearance doorways.
- · Vinyl backing helps reduce mat movement.












World Wide

WAYFARER®

- Sales Tip: Flexible mat can be used in industrial, commercial, and residential applications
- Where to Specify: Outdoor entrances, plant doorways, water fountain areas.
- A vinyl-looped construction that traps dirt and moisture while scraping debris.
- 3/8 inch thick and features a thick vinyl backing to resist movement.
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.









#265 WAYFARER®

Stock Sizes 4' x 6' 3' x 5' **List Price** \$117.60 \$188.16 Weight (lbs.) 12 20 **Description Compressed borders 4 sides**

3' x 60' **Roll & Custom Sizes** 4' x 60' **Custom Lgth. List Price** \$1411.20 \$1881.60 \$9.02/sq.ft. Weight (lbs.) 200 150 .83/sq.ft. **Description Vinyl nosing on Short Ends only**

Additional Nosing -

Gray

Unassembled **List Price** = \$2.92/lin.ft. Wt. = .15/lin.ft **Factory Applied Nosing List Price** = \$5.96/lin.ft.

Black

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701











Brown

Green

Red

Navy



WAYFARER® CUSTOM

- Sales Tip: Flexible mat can be used in industrial, commercial, and residential applications
- Where to Specify: Outdoor entrances, pool areas, recessed wells in foyers.
- A vinyl-looped construction that traps dirt and moisture while scraping debris.
- 1/2 inch thick and has an open-back design for dirt pass-through.
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.










#266 WAYFARER® CUSTOM

Stock Sizes 3' x 5' 4' x 6' **List Price** \$150.90 \$241.44 Weight (lbs.) 14 21 **Description Compressed borders 4 sides**

Roll & Custom Sizes 4' x 60' Custom Lgth. 31 x 601 **List Price** \$1810.80 \$2414.90 \$11.58/sq.ft. Weight (lbs.) 170 .95/sq.ft. 230 **Description Vinyl nosing on Short Ends only**

Additional Nosing -

Unassembled **List Price** =\$3.82/lin.ft. Wt. = .25/lin.ft. **Factory Applied Nosing List Price** =\$5.96/lin.ft.










SOIL GUARD®

- Sales Tip: Recommend using this mat in conjunction with an interior drying mat.
- Where to Specify: Outdoor high traffic areas.
- Heavy-duty, durable rubber matting designed with low profiles for door clearance / cart traffic.
- Raised bar design scrapes debris from shoe traffic.
- Easy to clean simply hose off.
- Available with silicon carbide grit surface (#350) for additional
- Overall thickness is 1/4 inch to minimize tripping hazard
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.







Black



#350 Detail




#340	#350 w/Grit	
3' x 5'	3' x 5'	
\$74.74	\$137.40	
11	11	
	3' x 5' \$74.74	3' x 5' 3' x 5' \$74.74 \$137.40



RUBBER BRUSHTM


- Sales Tip: Be sure to check door clearance.
- Where to Specify: Outdoor entrances of schools, municipal buildings, plant entrances, construction traffic area.



- Thousands of tough, flexible rubber fingers sweep shoes clean while suction cups on underside help to minimize mat movement
- Molded beveled edging on all 4 sides creates a retention dam to trap moisture.
- Overall thickness of 5/8 inch.
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.











#345 RUBBER BRUSH™

Stock Sizes	16" x 24"	24" x 32"	28" x 46"	32" x 39"	36" x 60"	36" x 72"
List Price	\$24.00	\$46.00	\$67.00	\$67.00	\$146.00	\$150.00
Weight (lbs.)	5	12	20	19	37	40



SMART STEP™ with ARROW TRAX™ and SMART STEP™ with Decalon®

- Sales Tip: For surface installations, remember to include the optional beveled edging.
- Where to Specify: Foyer entrances of Stores/Shopping Malls, Hospitals, and Office Buildings.
- A NOTRAX® exclusive designed to provide years of service in the busiest of foyers.
- Alternating rows of ribbed vinyl and carpet strips scrape and dry the foot traffic of hundreds of visitors per day.
- The #323 version features 38 ounce per square yard Arrow Trax[™] carpet matting strips for excellent scraping and drying.
- The #325 version features cut-pile Decalon® carpet matting strips for effective moisture retention.
- Can be placed within a foyer recess depth of 3/8" to 1/2" allow 9/16" door clearance.
- Can also be placed directly on floor allow 9/16" door clearance.
- Ribbed vinyl sections can be perforated to facilitate drainage (recommended for recess areas only)
- Overall thickness: #323 is 9/16" and #325 is1/2"
- Mat is fully assembled at the factory to your custom size specification.
- Orders must be accompanied by a sketch clearly indicating width, length and direction of traffic flow.
- When you measure, remember: Proper placement is for the strips to run width of mat.
- . All mats larger than 12 feet by 22 feet will be made in 2 or more sections

#323 List Price	\$30.10/sq.ft.	\$33.20/sq.ft.
Description	w/o perforations	w/ perforations
Weight (lbs.)	2.33/sq.ft.	2.33/sq.ft.
325 List Price	\$23.90/sq.ft.	\$26.10/sq.ft.
escription	w/o perforations	w/ perforations
Veight (lbs.)	2.29/sq.ft.	2.29/sq.ft.
Beveled Nosing:	\$16.70/lin.ft.	(lbs.) .33/lin.ft.
Black Only)	φτοιτο/ιιιιια	(1501) 100/111111

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459


























#323 Detail



#325 Detail



- Sales Tip: Recommend for any oversized entrance where multiple mats are not desirable.
- Where to Specify: Entrances of Stores/Shopping Malls, Hospitals, Office Buildings.
- Crafted specifically for oversized entrances & foyers where one piece of matting is required versus multiple individual mats.
- 45 ounces per square yard of berber needlepunch
- · Heat-sealed borders are standard.
- Optional beveled edge borders are available for a more gadual
- Beveled edge borders available in complimentary colors: Black, Gray, Burgundy, Green, Brown
- Rubber backing is textured on the underside to help minimize mat movement.
- Overall thickness of 7/16 inch—be sure to check door clearance.




Beveled Edging





#370 MASTER TRAX™			
	Custom		
List Price	\$11.90/sq.ft.		
Weight (lbs.)	.75/sq.ft.		
(Specify Standard or Square Edge)			
Optional Beveled Edging	\$16.70 per linear foot		

















TUFTED LOGO MATS

- Sales Tip: Yields exceptional performance in heavier traffic
- Where to Specify: Prominent entrances of light to heavy traffic where a long-lasting image is critical.
- Promote the business name, address, logo or motto with fully tufted Logo Mats
- . The design and mat itself are of one integral construction ensuring years of durability
- · Made with 52 ounces of solution-dyed nylon yarn that resists fading and crushing.
- Rubber backing is cleated to resist movement and withstand temperature extremes.
- A broad color range of 32 choices is available.































Fawn Pantone 4755C



Cinnamon Pantone 1545C




































NEW BRILLIANTSTEPTM IMAGE MATTING

- Sales Tip: Truly multi-functional entrance mat that stops dirt and debris while improving aesthetic appeal and promoting business, product, or message.
- Where to Specify: Prominent entrances of light to heavy traffic where a long-lasting image is critical - Retail, restaurants, hotels, corporate, schools, etc...
- Patented dye-injection process offers photo-realistic quality equivalent to 400 dpi resolution
- . Color palette of 189 base colors with blending and shading to achieve over 700 shades of color
- · Variety of background designs and borders to enhance your logo and camouflage dirt and stains
- Anti-slip backing to minimize mat movement
- 24 ozs of cut-pile nylon provides increased moisture retention



Custom Border Designs



Custom Background Designs

		3		
Aztec	Flash	Herringbone	Matrix	Maze
	12			
	~~~			
	293929	****		1000
100 march 1988	S Blockers		10.00	

Swirls

Texture

Waves





**Call for Pricing** 

Standard Tufted 8th Gauge 64 dpi



BrilliantStep™ 20th Gauge 400 dpi

Savanna Sisal Style

## **#083 STANDARD BEVELED NOSING**

- Apply to carpet matting that is cut onsite for a factory-finished appearance.
- Nosing lip is adhered underneath mat and produces the 1" "factory-look" beveled border.
- Overall thickness of 1/8 inch.
- #086 Adhesive 16 ounce can with brush top applicator; or 5 ounce tube
- #096 Roller Application roller to press nosing strip into adhesive on mat.
- #083K Nosing Kit includes 25 feet of Nosing, 5 ounce tube of adhesive and 1 application roller.



### **#084 HEAVY DUTY BEVELED NOSING**

- Apply to carpet matting that is cut onsite and requires a stronger than average border.
- Nosing lip is adhered underneath mat and produces a 1 1/2" beveled border.
- Overall thickness of 1/4 inch.
- #086 Adhesive 16 ounce can with brush top applicator; or 5 ounce tube
- #096 Roller Application roller to press nosing strip into adhesive on mat.
- #039K Nosing Kit includes 25 feet of Nosing, 5 ounce tube of adhesive and 1 application roller.





## **#084 Heavy Duty Beveled Nosing**



# #083 STANDARD REVELED NOSING

"000 CIANDAND DETELLE MOONIG				
Size	150 ft. Rolls	<b>Custom Lgth.</b>		
List Price (Black)	\$147.00	\$1.24/lin.ft.		
Weight (lbs.)	27	.18/lin.ft		
Brown, Blue, Burgu	ındy,Green Nosing			
Size	150 ft. Rolls	Custom Lgth.		
<b>List Price</b>	\$320.00	\$2.56/lin.ft.		
Weight (lbs.)	18	.12/lin.ft		

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701

#### **#083K STANDARD BEVELED NOSING KIT**

Description of Kit: 25 ft. of #083 Nosing, 5 oz. Adhesive*, & Application		
Roller		
List Price (BLACK Nosing)	\$60.60	
Weight (lbs.)	4	
Brown, Blue, Burgundy, Green Nosin	ng .	
List Price	\$81.80	
Weight (lbs.)	4	
Shipping Location: Superior Manufactu	ring Group - Calhoun, GA 30701	

*Note: A Hazardous Material Charge may be imposed by the freight carrier

#### **#084 HEAVY DUTY BEVELED NOSING**

<b>Roll Sizes &amp; Custom Sizes</b>	100 ft. Rolls	<b>Custom Lgth.</b>
List Price (BLACK Nosing)	\$212.00	\$2.58/lin.ft.
Weight (lbs.)	18	.18/lin.ft

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701

### **#039K HEAVY-DUTY BEVELED NOSING KIT**

<b>Description of Kit:</b> 25 ft. of #084 N Roller	losing, 5 oz. Adhesive*, & Application	
List Price (BLACK Nosing)	\$82.20	
Weight (lhs.)	6	

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701 *Note: A Hazardous Material Charge may be imposed by the freight carrier





#### #096



# VELCRO® CARPET ANCHOR SYSTEM #085 / #086 / #088 / #096

- Individual strips of Velcro® (male side) can be affixed to underside of vinyl-backed mat to "anchor" mat to looped pile carpeting.
- Be certain to thoroughly clean floor and underside of mat before applying.
- Recommend that the strips are affixed across width of mat at 3 foot intervals.
- #086 Adhesive 16 ounce can with brush top applicator; or 5 ounce tube
- #096 Roller Application roller to press Velcro strip into adhesive onto mat.
- #088 Velcro Kit includes 15 feet of Velcro, 5 ounce tube of adhesive and 1 application roller.

Velcro® is a registred trademark of Velcro USA, Inc.

### **#090 MAT HOLD**

- Rubberized mesh pad adheres to floor and underside of vinylbacked carpet mat.
- Will not stain carpeting or floors.
- Be certain to thoroughly clean floor and underside of mat before applying.
- Recommend that mesh pad is cut 6 inches narrower than mat on all 4 sides.

#### **#096 APPLICATION ROLLER**

List Price \$5.22 Weight 3 ounces

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701

# #085 VELCRO® CARPET ANCHOR

<b>Roll Sizes &amp; Custom Sizes</b>	75 ft. Rolls	Custom Lgth.
List Price	\$193.22	\$3.06/lin.ft.
Weight (lbs.)	1	.15oz/lin.ft

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701

#### **#090 MAT HOLD**

 Roll Sizes
 2' x 100'
 3' x 100'
 Custom Lgth.

 List Price
 \$2.22/sq.ft.
 \$2.22/sq.ft.
 \$2.56/sq.ft.

 Weight (lbs.)
 10
 14

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701

#### #086 VFI CRO® ADHESIVE

"OOO TEEDIIO ADIIEOTTE				
Size	16 oz. Can	5 oz. Tube		
List Price	\$32.40	\$21.80		
Weight	1 pound	5 ounces		

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701 *Note: A Hazardous Material Charge may be imposed by the freight carrier

#### **#088K VELCRO® CARPET ANCHOR KIT**


**Description of Kit:** 15 ft. of #085 Velcro®, 5 oz. Adhesive*, & App. Roller

**List Price** \$65.10 **Weight (lbs.)** 2

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701
*Note: A Hazardous Material Charge may be imposed by the freight carrier

## **CUSHION-EASE®**

- Sales Tip: Easy to make custom configurations on-site by utilizing the patent-pending #551 MD Ramp System™. (See page 22 for details.)
- Where to Specify: Food prep areas where workers stand for long periods of time.
- A resilient rubber compound and unique support design offers exceptional fatigue relief. Large hole drainage design keeps moisture and debris free from worker platform.
- Optional borders available for trip-resistant platform.
- Available in 2 versions: (1) Black mat which is grease resistant and carries a 1-year warranty. (2) Red mat with extra nitrile content is grease-proof and carries a 3-year warranty.
- Overall thickness is 3/4 inch.








#550	CII	СП	UN	EA	CE®
#nnu		15 T	u din i	-CA	3E-

3' x 3' - Black	3' x 5' - Black
\$78.60	\$130.50
24	39
3' x 3' - Red	3' x 5' - Red
J A J - NGU	J A J - NGU
\$94.70	\$158.10
	\$78.60 24





- Where to Specify: Food prep or bar areas where workers stand for long periods of time.
- Extra heavy-duty perforated mat designed to provide maximum comfort while standing for long periods of time. A large-hole drainage system allows food and liquid spillage to channel away from the worker platform.
- Raised blades on top surface help minimize slips yet facilitate pivoting from repetitive movement.
- Available in 2 versions: (1) Black mat which is grease resistant and carries a 1-year warranty. (2) Red mat with extra nitrile content is grease-proof and carries a 5-year warranty.
- Overall thickness is 7/8 inch.





#543 CUSH	ION-TRED™		
Size/Color	2' x 3' - Black	3' x 3' - Black	3' x 5' - Black
<b>List Price</b>	\$79.70	\$106.20	\$132.60
Weight (lbs.)	19	29	49
Size/Color	2' x 3' - Red	3' x 3' - Red	3' x 5' - Red
List Price	\$111.30	\$148.20	\$185.30
Weight (lbs.)	19	29	49
Description	M.D. Ramps	Connectors	
Color	(Black or Red)	(Black only)	
Size	up to 5' ea	1' length	
<b>List Price</b>	see Product 551	\$3.55/ea.	
Weight (lbs.)	.7/lin.ft.	.33	













## **COMFORT ZONE™**

- Sales Tip: Great for stand-alone mat environments. Multiple mats cannot be connected.
- Where to Specify: Food prep areas where workers move on and off mats frequently.
- A solid rubber compound featuring a large-hole drainage system and a textured top surface which facilitates drainage and minimizes slippage.
- Broad-beveled borders on all 4 sides are an integral molded part of the mat.
- Available in 2 versions: (1) Black mat which is grease resistant and carries a 1-year warranty. (2) Red mat with extra nitrile content is grease-proof and carries a 3-year warranty.
- Overall thickness is 5/8 inch.



















Size/Color	3' x 5' - Black	3' x 5' - Red	
<b>List Price</b>	\$101.00	\$140.00	
Weight (lbs.)	31	31	

**SANITOP®** 



- Sales Tip: Great for stand-alone mat environments. Multiple mats cannot be connected other than sizes indicated.
- Where to Specify: Food prep areas where a basic, yet comfortable & durable mat is required.
- A most resilient rubber compound that features a large-hole / small-hole drainage system for almost immediate drainage.
- Broad-beveled borders on all 4 sides are an integral molded part of the mat.
- Available in 2 versions: (1) Black mat which is grease resistant and carries a 1-year warranty. (2) Red mat with extra nitrile content is grease-proof and carries a 3-year warranty.
- Overall thickness is 1/2 inch.







Size/Color	3' x 5' - Black	31 x 101* Black	31 x 201* Black
<b>List Price</b>	\$123.40	\$275.10	\$566.80
Weight (lbs.)	27	54	108

Size/Color	3' x 5' - Red	3' x 10'* - Red	3' x 20'* - Red
<b>List Price</b>	\$144.80	\$323.00	\$649.50
Weight (lbs.)	27	54	108

*Consists of multiple mats bonded together. One inch of ramp is cut off to bond mats; therefore, overall length is slightly less













## **NIRU® VERSA RUNNER®**

- Sales Tip: Ideal for heavy traffic areas in a food prep environment. Easy to cut on-site for custom configurations.
- Where to Specify: Food prep areas where a continuous length of comfort matting is needed.
- The Industry's first, and most durable, rubber runner features slotted holes for drainage, a wiper-blade underside for traction, and raised knob surface to enhance comfort.
- All colors are grease-proof featuring 100% nitrile compounding.
- Overall thickness is 3/8 inch.












<b>Roll Sizes</b>	2' x 60'	31 x 601	4' x 60'
List Price	\$1255.20	\$1882.80	\$2510.40
<b>List Price White</b>	\$1380.00	\$2070.00	\$2760.00
Weight (lbs.)	180	270	360
<b>Custom Sizes</b>	2' Widths	3' Widths	4' Widths
List Price	\$11.52/sq.ft.	\$11.52/sq.ft.	\$11.52/sq.ft.
<b>List Price White</b>	\$12.66/sq.ft.	\$12.66/sq.ft.	\$12.66/sq.ft.
Weight (lbs.)	1.5/sq.ft.	1.5/sg.ft.	1.5/sg.ft.

# **NIRU® KNOB-TOP RUNNER®**

- Sales Tip: The low profile allows carts to roll over the mat with ease. Mat is reversible to extend service life.
- Where to Specify: Food preparation areas where a continuous length of comfort matting is needed.



- All colors are grease-proof featuring 100% nitrile compounding.
- Overall thickness is 1/4 inch.







#758 NIRU®	KNOB-TOP	<b>RUNNER®</b>	
Roll Sizes	2' x 60'	3' x 60'	4' x 60'
List Price	\$984.00	\$1476.00	\$1968.00
Neight (lbs.)	150	225	300
ustom Sizes	2' Widths	3' Widths	4' Widths
ist Price	\$9.02/sq.ft.	\$9.02/sq.ft.	\$9.02/sq.ft
Weight (lbs.)	1.25/sq.ft.	1.25/sq.ft.	1.25/sq.ft.
















## **MODULAR LOK-TYLETM**

- Sales Tip: Tiles can be easily reconfigured to adapt to changing environments.
- Where to Specify: restaurant shelving, bar areas
- Modular cross-hatch vinyl tiles snap together on-site for custom configurations.
- Raised diamonds on top surface facilitates drainage and aids
- Beveled Ramps and Corners complete the installation and minimize trip hazards.
- Light-weight, modular, drainage design allows for use as shelf liners in food prep and bar areas
- Overall thickness is 9/16 inch.























### #523 MODULAR LOK-TYLE™

Stock Sizes 12	2" x 12" Tile	2" x 12" Ramp	2" x 2" Corner
List Price (Black)	\$4.48/ea.	\$2.38/ea.	\$1.82/ea.
<b>List Price (Colors)</b>	\$5.96/ea.	\$2.38/ea.	\$1.82/ea.
Weight (lbs.)	1	0.25	0.04

## **DEEP-FREEZE MATTM**

- Sales Tip: Due to the unique compound used, mat cannot be perforated.
- Where to Specify: Meat lockers and specialty freezer applications.
- The only rubber mat specifically formulated to perform in deep-freeze environments.
- · Anti-slip matting that features a raised knob solid top surface to enhance traction.
- Tested to withstand temperatures to minus 40 degrees Fahrenheit (approx. -40 Celsius)
- Overall thickness is 3/8 inch.







# **#765 DEEP-FREEZE MAT™**

<b>Roll Sizes</b>	2' x 60'	3' x 60'	4' x 60'
<b>List Price</b>	\$1449.60	\$2174.4	\$2899.20
Weight (lbs.)	192	288	384
<b>Custom Sizes</b>	2' Widths	3' Widths	4' Widths
<b>List Price</b>	\$13.30/sq.ft.	\$13.30/sq.ft.	\$13.30/sq.ft.
Weight (lbs.)	1.6/sq.ft.	1.6/sq.ft.	1.6/sq.ft.

**Color: WHITE Add 10% to all prices above** 














## **MODULAR LOK-TYLETM**

- Sales Tip: Tiles can be easily reconfigured to adapt to changing environments.
- Where to Specify: Locker rooms, shower areas, spa areas, restaurant shelving, bar areas
- Modular cross-hatch vinyl tiles snap together on-site for custom configurations.
- Raised diamonds on top surface facilitates drainage and aids
- Beveled Ramps and Corners complete the installation and minimize trip hazards.
- Light-weight, modular, drainage design allows for use as shelf liners in food prep and bar areas
- Overall thickness is 9/16 inch.























#### #523 MODULAR LOK-TYLE™

Stock Sizes	12" x 12" Tile	2" x 12" Ramp	2" x 2" Corner				
<b>List Price (Black</b>	<b>()</b> \$4.48/ea.	\$2.38/ea.	\$1.82/ea.				
<b>List Price (Color</b>	<b>'s)</b> \$5.96/ea.	\$2.38/ea.	\$1.82/ea.				
Weight (lbs.)	1	0.25	0.04				



- Sales Tip: A bit more aggressive top surface than #523, Safety Grid™ is still comfortable for bare feet.
- Where to Specify: Locker rooms, shower areas, pool areas.

**SAFETY GRID**TM

- Duckboard design constructed of resilient vinyl ensures years
- · Creates an elevated platform keeping traffic away from
- Top of rails features a saw-tooth design to minimize slippage.
- Overall thickness is 1/2 inch.

















## #035

# **SKATE-SPIKE RESISTANT MATTING™**



- Sales Tip: To minimize mat movement, be certain floor is free of dirt particles before laying mat.
- Where to Specify: Skating rinks, locker rooms, gymnasiums. Temporary or permanent placement over expensive carpet in heavy traffic areas.
- A durable vinyl linear ribbed top surface minimizes damage to floors from spikes /skates.
- Overall thickness is 1/4 inch.



## #045

## **WEIGHT ROOM MATTING**



- Sales Tip: The shear weight of the mats (130 pounds for the 3/4") helps keep the mats in place.
- Where to Specify: Weight rooms, health clubs, gymnasiums.
- Indestructible rubber slab matting with textured top surface protects floors from weight lifting equipment.
- Overall thickness: Available in 1/2 inch or 3/4 inch



### #769

## **CLEAR TRAXTM**



- Sales Tip: Recommend for use only on looped pile carpeting
- Where to Specify: Temporary or permanent placement over expensive carpet in heavy traffic areas.
- Heavy duty clear PVC ribbed top runner protects carpeting from the debris of foot traffic.
- Mini-spiked underside clings to carpet to resist movement
- Overall thickness is 1/8 inch.



#### #035 SKATE-SPIKE MATTING™

**Roll Sizes & Custom Sizes** 3' x 75' 3' Widths **List Price** \$1512.00 \$7.40/sq.ft. Weight (lbs.) 350 1.5/sq.ft.

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459





**Stock Sizes** 4' x 6' 4' x 6' **Thickness** 1/2" 3/4" **List Price** \$131.80 \$145.10 Weight (lbs.) 80 130.00

Shipping Location: Superior Manufacturing Group -Chicago, IL 60638



#### **#769 CLEAR TRAX™**

27" x 60" **Roll Sizes** 36" x 60" 48" x 60" **List Price** \$329.40 \$655.20 \$873.60 Weight (lbs.) 55 110 **Custom Sizes** 27" Widths 36" Widths 48" Widths **List Price** \$2.68/sq.ft. \$4.00/sq.ft. \$4.00/sq.ft. Weight (lbs.) .45/sq.ft. .45/sq.ft. .45/sq.ft.



## **SAFETY TRAXTM**

- Sales Tip: Be certain that primary surface area is completely dry and clean before applying the "peel & stick" backing or the optional Sealing Compound.
- Where to Specify: Inclines, ramped walkways.
- Slip resistant pads are affixed to surfaces to increase friction providing a safer pathway.
- Top surface is embedded with silicon carbide particles. As the particles wear, they chip into continuously aggressive finer particles that continue to provide function.
- Pressure adhesive backing allows for easy "peel and stick" installation.
- An optional edge sealing compound is recommended for applications exposed to water, grease or oil.







#680 SAFET	Y TRAX™						
<b>Roll Sizes</b>	1" x 60'	2" x 60"	3" x 60'	4" x 60"	6" x 60"	12" x 60'	24" x 60"
List Price	\$22.70	\$45.10	\$67.70	\$90.00	\$135.50	\$269.40	\$538.50
Weight (lbs.)	0.75	1.5	2	3	4	8	16
					FUL	L CASE (50) 01	NLY
<b>Custom Sizes &amp;</b>	Full Cases	6" Width	12" Width	24" Width	5.5" x 5.5"	3/4" x 24"	6" x 24"
List Price		\$5.30/sq.ft.	\$5.30/sq.ft.	\$5.30/sq.ft.	\$59.80	\$51.40	\$254.50
Weight (lbs.)		.15/sq.ft.	.15/sq.ft.	.15/sq.ft.	1.25	1.00	5.50
<b>Edge Sealing Co</b>	mpound	5 oz. tube	\$13.10				
Safety Walk Prin	ner*	Quart	\$41.40 *A I	Hazardous Material	charge may be ass	sessed by the fre	eight carrier



**Knee RX** 

**Knee RX HD** 





- Sales Tip: Provides a comfortable work surface for those who are required to occasionally kneel while working. Eliminates the hassle and discomfort of wearing knee pads.
- Where to Specify: : Tool carts, Maintenance carts, Individual workstations
- · Designed for comfort and durability in extreme kneeling applications
- For use on gravel, asphalt, concrete, dirty/oily surfaces, tile & wood flooring, metal grating, grass
- Nitrile/PVC foam blend for the highest degree of resistance to oils and greases
- Full 1" thick for the ultimate in comfort
- Durable laminated heavy-duty rubber bottom surface for additional comfort and long-lasting wear in rough environments (#951 Knee RX HD only)
- · Self extinguishing, non-conductive, silicone free material
- Size: 12" x 22"







1	4-pack
\$22.11	\$76.92
2	8
\$32.58	\$118.52
3	12
	\$22.11 2 \$32.58



## **CUSHION STATTM with DYNA-SHIELD®**

- Sales Tip: Ideal product for basic anti-fatigue and antistatic relief in an office or light-duty application.
- Where to Specify: Work station environment that requires anti-fatigue relief while working with delicate circuitry or components
- Dissipative /anti-static matting is formulated to absorb static electricity. This matting drains static from worker keeping sensitive circuitry from damage.
- Specially compounded pebble-embossed PVC sponge manufactured with NOTRAX® exclusive Dyna-Shield® protective top layer.
- All four sides are beveled to minimize trip hazards.
- Overall thickness is 3/8 inch.
- Testing is per EOS/ESD Association Draft Standard, "Standard for Protection of Electrostatic Discharge Susceptible Items = Worksurfaces" EOS/ESD-S4, Draft January 1988.
- RTG measured at Moderate and 12% RH, at 10V and 100V = 109 ohms.







3' x 5'

3' x 10'



Brown

#825 CUSHION STAT™

List Price	\$38.52	\$96.30	\$192.60	
Weight (lbs.)	5	13	22	
Roll Sizes & Custom Sizes	3' x 60'	4' x 60'	3' Widths	4' Widths
List Price	\$1051.20	\$1401.60	\$6.72/sq.ft.	\$6.72sq.ft.
Weight (lbs.)	135	180	.75/sq.ft.	.75/sq.ft.

21 x 31

Shipping Location: Superior Manufacturing Group - Moselle, MS 39459


Black / Yellow











- Sales Tip: For maximum effectiveness, we highly recommend that the end-user properly attaches the grounding cord which is included at no charge. It easily snaps into a grommet which is installed in the mat at our factory.
- Where to Specify: Assembly or testing areas for circuitry: computers, chips, electronics of all kinds.
- Dissipative /anti-static matting is formulated to absorb static electricity. This matting drains static from worker keeping sensitive circuitry safe from damage.
- Durable vinyl diamond-plate top surface is combined with dense closed cell foam base utilizing NOTRAX® exclusive UniFusion™ technology.
- · Provides excellent anti-fatigue support with a textured antislip surface
- Overall mat thickness is 9/16 inch.

ANTI-FATIGUE SLIP PERFORMANCE RESISTANCI

- Sloped beveled foam on all 4 undersides affords easy access onto and off of mat.
- · Custom widths available





### #826 DIAMOND STAT™

Stock Sizes	2' x 3'	3' x 5'	3' x 12'	
<b>List Price</b>	\$99.36	\$248.40	\$596.16	
Weight (lbs.)	9	16	38	

### **Roll & Custom Sizes**

	3' x 75'	3' Widths	<b>Custom Widths</b>
<b>List Price</b>	\$3726.00	\$16.56/sq.ft.	\$19.87/sq.ft.
Weight (lbs.)	320	1.36/sq.ft.	1.36/sq.ft.
Prices include Groun	ding Cord		

Prices include Grounding Cord








## **SWITCHBOARD MATTING**

- Sales Tip: We highly recommend that the mat be replaced every 12 months for optimum performance.
- Where to Specify: : In front of high voltage boxes, electrical fuse boxes, transformers.
- Insulative PVC matting is formulated to provide insulation to the worker from being grounded thus preventing electrical shock.
- Each square foot of this matting is tested in conformance with ANSI/ASTM D-178 specifications and meets or exceeds the following:
  - Type 2 Compound: Polyvinyl Chloride
  - Class 2 Di-electric Strength: 30,000 volts
  - Proof test of 20,000 volts
  - Recommended maximum usage of 17,000 volts.










2' x 75'	3' x 75'	4' x 75'	
\$1206.00	\$1543.50	\$2982.00	
255	385	500	
2' Widths	3' Widths	4' Widths	
\$8.84/sq.ft.	\$7.56/sq.ft.	\$10.94/sq.ft.	
1.70/sq.ft.	1.70/sq.ft.	1.70/sq.ft.	
	3' x 75'	3' Widths	
	\$1849.50	\$9.04/sq.ft.	
	385	1.70/sq.ft.	
	\$1206.00 255 <b>2' Widths</b> \$8.84/sq.ft.	\$1206.00 \$1543.50 255 385 <b>2' Widths 3' Widths</b> \$8.84/sq.ft. \$7.56/sq.ft. 1.70/sq.ft. 1.70/sq.ft. <b>3' x 75'</b> \$1849.50	\$1206.00 \$1543.50 \$2982.00 255 385 500 2' Widths 3' Widths 4' Widths \$8.84/sq.ft. \$7.56/sq.ft. \$10.94/sq.ft. 1.70/sq.ft. 1.70/sq.ft. 1.70/sq.ft. 3' x 75' 3' Widths \$1849.50 \$9.04/sq.ft.









## **DIAMOND SWITCHBOARD MATTING**

- Sales Tip: We highly recommend that the mat be replaced every 12 months for optimum performance.
- Where to Specify: In front of high voltage boxes, electrical fuse boxes, transformers.
- Insulative PVC matting is formulated to provide insulation to the worker from being grounded thus preventing electrical shock.
- Each square foot of this matting is tested in conformance with ANSI/ASTM D-178 specifications and meets or exceeds the following:
  - Type 2 Compound: Polyvinyl Chloride
  - Class 2 Di-electric Strength: 30,000 volts
  - Proof test of 20,000 volts
  - Recommended maximum usage of 17,000 volts.





#831			
<b>Roll Sizes</b>	2' x 75'	3' x 75'	4' x 75'
List Price - Solid Black	\$1206.00	\$1543.50	\$2982.00
Weight (lbs.)	255	385	500
<b>Custom Sizes</b>	2¹ Widths	3' Widths	4' Widths
List Price - Solid Black	\$8.84/sq.ft.	\$7.56/sq.ft.	\$10.94/sq.ft.
Weight (lbs.)	1.70/sq.ft.	1.70/sq.ft.	1.70/sq.ft.
<b>Roll Sizes &amp; Custom Sizes</b>		3' x 75'	3¹ Widths
<b>List Price - Colored Borders</b>		\$1849.50	\$9.04/sq.ft.
Weight (lbs.)		385	1.70/sq.ft.









### PRODUCT TERMS / GLOSSARY

**ANTI-FATIGUE PROPERTIES:** Cushioning qualities found in NOTRAX® matting that alleviates foot pressure, stimulates blood circulation and helps reduce stress on the lower back, leg joints and major muscle groups.

**CHEMICAL RESISTANCE:** The degree to which NOTRAX® industrial matting products can withstand the erosive qualities of chemicals found in applicable environments.

**DECALON®:** An exclusive NOTRAX® fiber constructed of high Denier polypropylene yarn. Products manufactured with Decalon® offer superb wear resistance, exceptional moisture retention, and crisp pattern appearance in coordinating colors. See products #130, #131, #132, #137, #138, #139, #141, #146, #148, and #325.

**DENIER:** Denier is defined as the thickness of the yarn strand. Combined with the faceweight (ounces of varn per square vard), and the density or volume of yarn strands, It is a critical factor in the performance, quality and durability of an entrance mat. NOTRAX® competitors define their quality in terms of faceweight only.

**DYNA-SHIELD®:** A revolutionary new process perfected by Superior Manufacturing Group that creates a tough protective barrier on the

surface of foam anti-fatigue mats. Dyna-Shield® products are more resistant to wear than traditional sponge matting. See products #406, #413, #415, #417, #419, and #825.

**GSII:** A technology incorporated into NOTRAX® industrial floor matting products that allow them to excel in harsh industrial environments where aggressive chemicals, oils, and greases are commonly found, and where traditional matting often fails. See products #850GSII, #856GSII.

**NEEDLEPUNCH:** A manufacturing process for carpet matting, needlepunch is engineered with a unique blend of 4 Denier thicknesses of polypropylene yarn ranging from very fine to very thick. Needlepunch products are typically more durable, offering better crush resistance and wearability due to the density of the varn used in the process. See products #105, #109, #117 #118, #136, #323, and #370.

NITRILE RUBBER: A synthetic rubber specifically designed for harsh environments providing superior oil, grease, animal fat, and chemical resistance, abrasion resistance, gas permeability, and thermal stability. Niru® is the NOTRAX®, trademarked name for Nitrile rubber compound. See products # 543, #544, #550, #551, #556, #562, #650, #656, #755, #758, #850GSII, #856GSII

**PVC COMPOUNDS:** PVC (Polyvinyl Chloride) is a plastic compound used in a variety of manufacturing processes and end products. PVC is known for its durability, resistance to moisture, versatility, and its ability to withstand harsh environments.

**TUFTED:** An alternative process to needlepunch for manufacturing carpet matting, tufted products are sewn into a backing using a finer yarn. Tufted mats generally are less dense and offer better moisture retention. Tufted products also have more flexibility with colors and patterns providing a more aesthetic finished product. See products #130, #131, #132, #137, #138, #139, #141, #145, #146, #148, #150, #161, #166, #167, #168, #170, #180, #190, #231, and #325.

UNIFUSION™: A revolutionary new bonding technology that uses heat and pressure to fuse a floor matting top surface to a base material. The resulting finished product is virtually a single piece, thereby eliminating the possibility of de-lamination. See products #470, #474, #479, #480, #826, #970, #974, #979, #980

### PRODUCT TESTING

All NOTRAX® Floor Matting Products are subject to the following applicable tests, conducted by independent laboratories prior to their introduction to the market:

All NOTRAX® carpet products passed the Flammability Test (PillTest DOC FF1-70).

Accelerated Soiling Test (ASTM D6540): Designed to simulate the soiling that occurs from foot traffic/floor service in normal use as an entrance mat.

Accelerated Wear Test (S.I.M. Floor Machine): Designed to simulate the wear an entrance mat will receive under normal foot

traffic. The results show the relative wear and crush resistance of the mat.

Water Retention: Designed to simulate the moisture retention of an entrance mat in actual usage. Tests are reported in gallons per square yard.

Abrasion Resistance (ASTM D3884-92): This is an accelerated wear test for NOTRAX® products. Results are measured in weight loss.

Compression Deflection (ASTM D3574): This test assesses the anti-fatique properties of industrial mats.

Coefficient Of Friction (ASTM C 1028-89): Designed to assess the slip resistance of our matting.

**Elongation (ASTM D412):** This test measures the weight needed to break, and the % of size increase at the breaking point.

Tear Strength (ASTM D1004): This test measures the force required to initiate the tearing of a mat.

Critical Radiant Flux (ASTM E648-94A): This test measures the level of radiant heat energy required to sustain flame propagation.

## **MATTING ICONS**



**Drainage:** Open construction allows for moisture to pass through, providing secure footing in a wet environment.



Anti-Slip: Matting designed to provide added traction through aggressive surface patterns and textures.



Welding: Made of durable rubber compounds, these mats can be used in areas where welding takes place.



Non-Conductive: Formulated to provide insulation for the worker. It prevents the worker from being "grounded", thereby preventing electrical shock.



Outdoor Use: Heavy-duty construction designed to act as a first line of defense against tracked-in dirt by scraping, soil and moisture from shoes.



**Custom:** Mats available in custom sizes and/or lengths.



Food Service: Matting suitable for use in kitchens, bars and other food service areas where durability, grease resistance and drainage are a priority.



Ergonomic/Anti-Fatique: Matting that alleviates foot pressure, stimulates blood circulation and helps reduce stress on the lower back, leg joints and major muscle groups.



Food Processing: Matting suitable for use in food processing plants/areas where exposure to animal fats, greases, and oils are common.



Anti-Static: Formulated to absorb static electricity.

035 Skate-Spike Matting IM	/0 - /1	410 Alrug®	13
045 Weight Room Matting	70 - 71	411 Sof-Tred™	13
083 Std. Beveled Nosing	58	413 Blade Runner® w/Dyna-Shield®	11
084 HD Beveled Nosing	58	415 Pebble Step Sof-Tred™ w/Dyna-Shield@	₿12
085 Velcro®	59	417 Bubble Sof-Tred™ w/Dyna-Shield®	11
090 Mat Hold	59	419 Diamond Sof-Tred™ w/Dyna-Shield®	10
096 Application Roller	59	420/422 Cushion-Dek™ Series	23
105 Chevron		447 Comfort-Eze™	24
109 Brush Step®		470 Marble Sof-Tyle™	7
117 Heritage Rib®		474 Ergo Mat [™]	9
=		479 Cushion Trax®	6
		480 Pebble Trax®	8
		520/522 Cushion-Lok™ Series	18
		523 Modular Lok-Tyle™ 66 (Foo	d Service), 68
		531 Safety Grid™	69
•	30	543 Cushion-Tred™17, 61 (	Food Service)
		544 Comfort Zone™	62
		545 Diamond Top Interlock™	
		549 Safety Stance®	
		550 Cushion-Ease® 20, 60 (	
	32 - 33	551 M.D. Ramp System™	
		556 Cushion-Ease® Solid	
	40	562 Sanitop®25, 63 (	
		650 Niru® Cushion-Ease®	•
	42 - 43	656 Niru® Cushion-Ease® Solid	
		680 Safety Trax™	
		730 Vinyl Corrugated V-Groove	
•		735 Round Rib Runner	
		737 Diamond Plate Runner	
-	57	750 Rubber Corrugated V-Groove	
		755 Niru® Versa Runner® 27, 64 (	
		758 Niru® Knob-Top Runner®27, 65 (	
•		765 Deep-Freeze Mat™	
	ax™54		
	®54	825 Cushion-Stat™ w/Dyna-Shield®	74
•	es	826 Diamond Stat™	
		830 Switchboard Matting	
		831 Diamond Switchboard Matting	
	hield®11	850 Niru® Cushion-Ease® GSII™	
		856 Niru® Cushion-Ease® Solid GSII™	
	Products featuring the	920/922 Cushion-Lok™ Solid-Top Series .	
	GreenTRAX™ logo in this	950/951 Knee RX Series	
	catalog are top-rated for	970 Marble Sof-Tyle™ Grande™	
	use in a highly efficient	974 Ergo Mat™ Grande™	
TM	entrance matting system	979 Saddle Trax™	
GREENTRAX	for Green Cleaning	Q80 Pahhla Tray® Granda™	

LEGEND	lise of or	oduct in environments specified as "USEABLE	NOT RECOMMENDED"	045					035			
<u>LEGEND:</u> 1 = Recommended	or "NOT	RECOMMENDED" may lead to product failure	and will void warranty.	340	543BL		650		406	420		825
2 = Suitable for Use	please ca	tings are intended to be used as a guide or all for a free product sample for on-site test	ing in actual conditions.	345	544BL		656		410	422	523	826
3 = Useable, not recom		sults may vary depending on concentration of ings for products # 470, #474, #479, #480, #9		346	545BL		850	543RD	411	479	531	830
4 = Not Recommended		op surface only. Copyright in Chicago, Illinois		447	549AII	750	856	544RD	413	520	730	831
				470	550BL	970	551	550RD	415	520HD	735	920HI
				474	556BL	974	755AII	556RD	417	522	737	922HI
Chemical	Form	Chemical Family	Concentration	480	562BL	980	758AII	562RD	419	522HD	769	979
2-Propanol (isopropal alcohol)	Liquid	Alcohol		1	1	1	2	2	2	2	2	2
Acetaldehyde	Liquid	Aldehyde	50%	2	2	2	4	4	3	3	3	3
Acetic Acid	Liquid	Acid (weak, organic)	50%	2	2	2	3	3	2	2	2	2
Acetic Acid	Liquid	Glacial		3	3	3	3	3	4	4	4	4
Acetic Anhydride	Liquid	Acid (weak)		3	3	3	2	2	4	4	4	4
Acetone	Liquid	Ketone		3	3	3	4	4	3	3	3	3
Ammonium Hydroxide	Liquid	Base (weak)	28-30%	4	4	4	4	4	1	1	1	1
Amyl Acetate	Liquid	Carboxylic Acid (Aliphatic)	20 0070	4	4	4	4	4	3	3	3	3
Aniline	Liquid	Base (aromatic, weak)		4	4	4	4	4	4	4	4	4
ASTM #1	Liquid	Paraffin Oil		4	4	4	1	1	n/a	n/a	n/a	n/a
Beef Fat	Solid/Liquid	T GIGHIII OII		4	4	4	1	2	2	2	2	2
Benzene	Liquid	Aromatic HC		4	4	4	4	4	4	4	4	4
Benzoic Acid	Liquid	Carboxylic Acid (Aromatic)		4	4	4	4	4	1	1	1	1
Benzyl Alcohol	Liquid	Alcohol		4	4	4	4	4	4	4	4	4
Boric Acid	Liquid	Acid (weak)		1	1	1	1	1	1	1	1	1
Brake Fluid	Liquid	Ether/Glycol		4	4	4	4	4	4	4	4	4
Bromine	Liquid/Gas	Halogen		4	4	4	4	4	2	2	2	2
Butane	Liquid Liquid	Aliphatic HC		4	4	4	1	1	3	3	3	3
Butter	Solid/Liquid	Aliphatic 110		4	4	4	1	2	1	1	1	1
Butyl Acetate	Liquid	Carboxylic Acid (Aliphatic)		4	4	4	4	4	3	3	3	3
Butyl Alcohol (butanol)	Liquid	Alcohol		1	1	1	1	1	1	1	1	1
Calcium Chloride	Solid	Inorganic Salt		1	i	1	1	1	2	2	2	2
Calcium Hydroxide	Solid	Metal Hydroxide		1	i	1	1	1	2	2	2	2
Carbolic Acid (liquid phenol)	Liquid	Acid (organic)		4	4	4	4	4	4	4	4	4
Carbon Monoxide	Gas	Inorganic Carbon Compound		3	3	3	2	2	1	1	1	1
Carbon Tetrachloride	Liquid	Halogenated Organic Liquid		4	4	4	3	3	4	4	4	4
Chicken Fat	Solid/Liquid	rialogenated Organic Liquid		4	4	4	2	2	2	2	2	2
Chloroacetone	Liquid	Ketone		4	4	4	4	4	4	4	4	4
Chloroform	Liquid	Aliphatic HC		4	4	4	4	4	4	4	4	4
Chromic Acid	Liquid	Acid (weak)	50%	4	4	4	4	4	3	3	3	3
Citric Acid	Liquid	Acid (weak, organic)	10%	1	1	1	1	1	2	2	2	2
Corn Oil	Liquid	Fatty Acid	1070	4	4	4	1	2	1	1	1	1
Cottonseed Oil	Liquid	Aliphatic HC		4	4	4	2	3	<u> </u>	1	<del></del>	1
Cyclohexane	Liquid	Aliphatic HC		4	4	4	1	1	4	4	4	4
Cyclohexanol	Liquid	Alcohol (cyclic)		4	4	4	3	3	1	1	1	1
Cyclohexanone	Liquid	Ketone		4	4	4	4	4	4	4	4	4
Dibutyl Phthalate	Liquid	Ester		4	4	4	4	4	3	3	3	3
Diesel fuel	Liquid	Petroleum HC		4	4	4	1	1	3	3	3	3
Diesel Oil	Liquid	Petroleum HC		4	4	4	1	1	3	3	3	3
Dioctyl Phthalate (DOP)	Liquid	Ester		4	4	4	3	3	4	4	4	4
Ethane	Liquid	Aliphatic HC		4	4	4		1	1	1	1	1
Ethyl Acetate	Liquid	Ester		2	2	2	4	4	3	3	3	3
Ethyl Alcohol (ethanol)	Liquid	Alcohol		1	1	1	1	1	3	3	3	3
Ethyl Ether	Liquid Liquid	Ether		4	4	4	3	3	<u>3</u>	3	3	3
Ethylene Glycol (antifreeze)	Liquid	Alcohol		1	1	1	1	1		1	<u> </u>	1
Formaldehyde	Liquid Liquid	Aldehyde	37%	3	3	3	2	2	1	1	1	1
Formic Acid	Liquid Liquid	Acid (weak, organic)	31 /0	2	2	2	2	2	1	1	1	1
Fresh Water	Liquid	notu (weak, organic)		1	1	1	1	1	1	1	1	1
	•	Aliphatic HC		4	4	4	1	1	2	2	1 2	2
Fuel Oil Gasoline	Liquid Liquid	Aliphatic HC		4	4	4	1	1	3	3	3	3
				4	4		1	1	<u>3</u>			
Gear Oil (85w-140)	Liquid	Paraffin Oil				4				2	2	2
Glucose	Liquid	Sugar		1	1	1		1	_1_	1	1_	1
Glycerin	Liquid	Alcohol		1	1	1	1	1	1	1	1_0	1
Heptane	Liquid	Aliphatic HC		4	4	4	1	1	2	2	2	2
Hexane	Liquid	Aliphatic HC		4	4	4	1	1	3	3	3	3
Hydraulic Fluid	Liquid	Aliphatic HC		4	4	4	1	1	2	2	2	2
Hydrazine	Liquid	Base (weak)	000/	4	4	4	2	2	1	1	1_0	1
Hydrochloric Acid	Liquid	Acid (strong)	30%	2	2	2	4	4	2	2	2	2